

DODGE (USA / CAN) CHARGER LD CHARGER 3.6 AWD (2015 OG EFTER)



MOTOR Pentastar
Kapacitet: 5,6 liter

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Skift alle 10000 mil/ 12 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Skift alle 4000 mil

DIFFERENTIALE BAG

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

Kontroller alle 20000 mil/ 24 måneder, skift alle 50000 mil/ 60 måneder

DIFFERENTIALE FOR

Kapacitet: 0,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Kontroller alle 20000 mil/ 24 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Skift alle 50000 mil/ 60 måneder

DODGE (USA / CAN) CHARGER LD

CHARGER 3.6 AWD (2015 OG EFTER)



GEAR AUTOMATISK 845RE 8/1

Kapacitet: 0-9,2 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Matic 2034		

GEAR AUTOMATISK 8HP50 850RE 8/1

Kapacitet: 9 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Matic 2034		

GEAR AUTOMATISK NAG 1 5/1

Kapacitet: 7,7 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Matic 4026		

Skift alle 60000 mil/ 72 måneder

REDUKTIONSGEARKASSE Borg Warner 44-40

Kapacitet: 1 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Matic 2032		

Kontroller alle 30000 mil/ 36 måneder

ANVEND		KLIMA
Krævende		Moderat
PRODUKTANBEFALING 1		
SP Matic 2032		

Skift alle 60000 mil/ 72 måneder

DODGE (USA / CAN) CHARGER LD CHARGER 3.6 AWD (2015 OG EFTER)



HYDRAULISK BREMSESYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

KØLESYSTEM

Kapacitet: 9,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

Skift alle 150000 mil/ 120 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.