

DODGE (USA / CAN) DURANGO HB

DURANGO 3.7 V6 AWD (USA) (2004-2007)

**ENGINE**

Capacity: 4,7 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Presteza MSP 5W-30	Xedoz FE 5W-30	

Change every 6000 miles/ 6 months

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Presteza MSP 5W-30	Xedoz FE 5W-30	

*Change every 3000 miles/ 3 months***DIFFERENTIAL FRONT C205F**

Capacity: 1,6 liter

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

*Change every 15000 miles***DIFFERENTIAL REAR 8-1/4**

Capacity: 2,1 liter

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube Racing 75W-140		

*Change every 15000 miles***DIFFERENTIAL REAR 9-1/4**

Capacity: 1,9 liter

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube Racing 75W-140		

Change every 15000 miles

DODGE (USA / CAN) DURANGO HB

DURANGO 3.7 V6 AWD (USA) (2004-2007)

**DIFFERENTIAL REAR LIMITED SLIP 8-1/4**

Capacity: 2,1 liter, Capacity: 118 CM3 (LS-additive)

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140*Change every 15000 miles***DIFFERENTIAL REAR LIMITED SLIP 9-1/4**

Capacity: 1,9 liter, Capacity: 118 CM3 (LS-additive)

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140*Change every 15000 miles***TRANSFERBOX (4X4) NV 144**

Capacity: 0,85 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Check every 30000 km/ 30 months, change every 120000 km/ 120 months***TRANSFERBOX (4X4) NV 244 GEN2**

Capacity: 1,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Check every 30000 km/ 30 months, change every 120000 km/ 120 months***TRANSMISSION AUTOMATIC 42RLE 4/1**

Capacity: 8,3 liter (Overhaul capacity), Capacity: 3,8 liter (Service fill)

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Change every 60000 miles*

DODGE (USA / CAN) DURANGO HB

DURANGO 3.7 V6 AWD (USA) (2004-2007)

**TRANSMISSION AUTOMATIC 545RFE 5/1**

Capacity: 14-16 liter (Overhaul capacity), Capacity: 6,2 liter (Service fill)

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Change every 60000 miles***HYDRAULIC BRAKE SYSTEM**

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3**POWER STEERING**

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026**COOLING SYSTEM**

Capacity: 12,9-13,8 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 12 EVO*Change every 102000 miles/ 60 months*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.