## **DODGE (USA / CAN) NITRO KA NITRO 4.0 V6 AWD** (2006-2007)



ENGINE Capacity: 5,2 liter				
USE	CLIMATE			
Normal	Moderate			
PRODUCT RECOMMENDATION 1				
Presteza MSP 5W-30				
Change every 6000 miles/ 6 months				
USE	CLIMATE			
Flexible (max)	Moderate			
PRODUCT RECOMMENDATION 1				
Presteza MSP 5W-30				
Change every 3000 miles				
DIFFERENTIAL FRONT (4x4)				
USE	CLIMATE			
Severe	Moderate			
PRODUCT RECOMMENDATION 1				
Gearlube GL-5 80W-90				
Change every 15000 miles				
DIFFERENTIAL REAR				

DIFFERENTIAL REAR			
USE	CLIMATE		
Severe	Moderate		
PRODUCT RECOMMENDATION 1			
Gearlube Racing 75W-140			
0/ /5000 //			

Change every 15000 miles

TRANSFERBOX				
USE	CLIMATE			
Normal	Moderate			
PRODUCT RECOMMENDATION 1				
SP Matic 4026				
Check every 30000 km/ 30 months, change every 120000 km/ 120 months				
USE	CLIMATE			
Severe	Moderate			
PRODUCT RECOMMENDATION 1				
SP Matic 4026				
Check every 15000 miles, change every 60000 miles				

## **DODGE (USA / CAN) NITRO KA NITRO 4.0 V6 AWD** (2006-2007)



TRANSMISSION AUTOMATIC 5/1				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1				
SP Matic 4026				
Change every 60000 miles				
HYDRAULIC BRAKE SYSTEM				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Drauliquid DOT 3				
POWER STEERING				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
SP Matic 4026				
COOLING SYSTEM Capacity: 13,3 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 12 EVO				

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

Change every 102000 miles/ 60 months