## FIAT (EU) LINEA 323 LINEA 1.3 MULTIJET 16V (66 KW) (2007-2010)



ENGINE 199A3000 Capacity: 3,2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Emperol 5W-40	
Change every 30000 km/ 24 months	

ELECTRONIC/HYDRAULIC GEARBOXUNIT Capacity: 0,5 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
SP Fluid 3023		

TRANSAXLE MANUAL 5/1 Capacity: 1,7 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 5015	
Check every 12 months/ 30000 km	

TRANSAXLE SEMI-AUTOMATIC M20 6/1 Capacity: 1,6 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 5015		

HYDRAULIC BRAKE/CLUTCH SYSTEM ABS Capacity: 0,5 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		

## FIAT (EU) LINEA 323 LINEA 1.3 MULTIJET 16V (66 KW) (2007-2010)



POWER STEERING Capacity: 0,9 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		
GREASE POINTS/NIPPLES FRONT SU	SPENSION	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Labora Grease		
GREASE POINTS/NIPPLES HOMOKINI Capacity: 150 grams	ETIC JOINTS DIFFERENTIAL SIDE	
	endation for this component. Please contact	our service department
vve are driable to give a standard recomm	endation for this component. I lease contact	our service department.
GREASE POINTS/NIPPLES HOMOKINI	ETIC JOINTS WHEEL SIDE	
Capacity: 95 grams		
USE		CLIMATE
Normal	_	Moderate
PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		
GREASE POINTS/NIPPLES WHEEL BE	ARINGS FRONT	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Labora Grease		
GREASE POINTS/NIPPLES WHEEL BE	ARINGS REAR	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Labora Grease		

## FIAT (EU) LINEA 323 LINEA 1.3 MULTIJET 16V (66 KW) (2007-2010)



COOLING SYSTEM Capacity: 7,4 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	
Check every 12 months/ 30000 km	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.