

FIAT (EU) SEDICI FY SEDICI 1.6 16V 4X4 (2011-2014)

**ENGINE M16A**

Capacity: 3,9 liter, Filter capacity: 0,2 liter

USE		CLIMATE
Normal		Moderate

PRODUCT RECOMMENDATION 1

Helar MSP+ 5W-40

PRODUCT RECOMMENDATION 2

Specialsynth MSP 5W-40*Change every 15000 km/ 12 months*

USE		CLIMATE
Severe		Moderate

PRODUCT RECOMMENDATION 1

Helar MSP+ 5W-40

PRODUCT RECOMMENDATION 2

Specialsynth MSP 5W-40*Change every 7500 km/ 6 months***DIFFERENTIAL REAR (4x4)**

Capacity: 0,8 liter

USE		CLIMATE
Normal		Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90*Check every 15000 km/ 12 months*

USE		CLIMATE
Severe		Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90*Change every 30000 km/ 24 months*

USE		CLIMATE
First change only		Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90*Change every 15000 km/ 12 months*

FIAT (EU) SEDICI FY SEDICI 1.6 16V 4X4 (2011-2014)

**TRANSAXLE MANUAL 5/1**

Capacity: 2,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015*Change every 45000 km/ 36 months*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015*Change every 30000 km/ 24 months*

USE	CLIMATE
First change only	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015*Check every 15000 km/ 12 months*

USE	CLIMATE
Severe, first change only	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015*Change every 15000 km/ 12 months*

FIAT (EU) SEDICI FY SEDICI 1.6 16V 4X4 (2011-2014)


TRANSFERBOX (4x4)

Capacity: 0,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90*Check every 15000 km/ 12 months*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90*Change every 30000 km/ 24 months*

USE	CLIMATE
Severe, first change only	Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90*Change every 15000 km/ 12 months*
HYDRAULIC BRAKE/CLUTCH SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid-LV Super DOT 4

PRODUCT RECOMMENDATION 2

Drauliquid-S DOT 4*Change every 30000 km/ 24 months*
COOLING SYSTEM

Capacity: 6,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 14+*Change every 45000 km/ 36 months*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.