

FORD (EU) KUGA I KUGA 2.0 TDCI (140) AWD EURO 5 (2011-2013)



MOTOR UFMA

Kapacitet: 5,5 liter (Servicepåfyldning), Kapacitet: 5,6 liter (Tør efterfyld), Filterkapacitet: 0,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Duranza LSP 5W-30

Skift alle 20000 km/ 12 måneder

DIFFERENTIALE BAG

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

Kontroller alle 60000 km/ 36 måneder

REDUKTIONSGEARKASSE (4x4)

Kapacitet: 0,45 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

TRANSAKSEL AUTOMATISK AW55 AWD 5/1

Kapacitet: 7,5-7,9 liter (+ køler)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Skift alle 60000 km/ 36 måneder

TRANSAKSEL HALVAUTOMATISK MPS6/6DCT450 (PowerShift) 6/1

Kapacitet: 6-7,25 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2072

Skift alle 60000 km/ 36 måneder

FORD (EU) KUGA I KUGA 2.0 TDCI (140) AWD EURO 5 (2011-2013)



TRANSAKSEL MANUEL M66 6/1

Kapacitet: 2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1081

Kontroller alle 20000 km/ 12 måneder

TRANSAKSEL MANUEL MMT6 6/1

Kapacitet: 1,75 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1081

Kontroller alle 20000 km/ 12 måneder

HYDRAULISK BREMSESYSTEM FRA 09/2011 OG FREM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

Skift alle 24 måneder

HYDRAULISK KOBLINGSSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2

Drauliquid-S DOT 4

SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 3013

FORD (EU) KUGA I KUGA 2.0 TDCI (140) AWD EURO 5 (2011-2013)

**KØLESYSTEM**

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF*Kontroller alle 20000 km/ 12 måneder, skift alle 120 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.