FORD (EU) MONDEO MK V MONDEO 2.0 TDCI (110 KW) (2014-2018)



ENGINE T7CE>CN, Duratorq Capacity: 7,2 liter (Initial fill), Capacity: 6,1	liter (Service fill), Filter capacity: 0,45 liter	
use Flexible (max)		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 Duranza MSP 0W-30	PRODUCT RECOMMENDATION 2 Presteza MSP 0W-30	

Change every 30000 km/24 months

TRANSAXLE MANUAL MMT6 6/1 Capacity: 1,8-2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 1081	

TRANSAXLE SEMI-AUTOMATIC MPS6/6DCT450 (Power Capacity: 7-7,25 liter (Dry fill)	erShift) 6/1
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2072	
Change every 60000 km/ 48 months	

HYDRAULIC BRAKE/CLUTCH SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	
Change every 24 months	'

KROON-OIL B.V. Postbus 149 7600 AC Almelo

FORD (EU) MONDEO MK V MONDEO 2.0 TDCI (110 KW) (2014-2018)



COOLING SYSTEM Capacity: 8 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF
Change every 80000 km/ 36 months		·
USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF

AIRCONDITIONING COMPRESSOR FROM 20.06.2016

Capacity: 145-150 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING COMPRESSOR UP TO 20.06.2016

Capacity: 145-150 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM FROM 20.06.2016

Capacity: 570 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM UP TO 20.06.2016

Capacity: 570 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.