

FORD (USA) E-SERIE WAGON E-150

WAGON 5.4 V8 (2008-2011)



MOTOR Triton
Kapacitet: 5,7 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Duranza ECO 5W-20

Kontroller alle 1 måneder, skift alle 7500 mil/ 6 måneder

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1
Duranza ECO 5W-20

Kontroller alle 1 måneder, skift alle 5000 mil/ 6 måneder/ 200 timer

DIFFERENTIALE BAG KONVENTIONEL Dana M60
Kapacitet: 2,9 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube Racing 75W-140

Skift alle 105000 mil

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube Racing 75W-140

Skift alle 50000 mil

GEAR AUTOMATISK 4R75E 4/1
Kapacitet: 13,1 liter (Tør efterfyld)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 4036

PRODUKTANBEFALING 2
SP Matic 2032

Kontroller alle 15000 km/ 12 måneder, skift alle 150000 km

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 4036

PRODUKTANBEFALING 2
SP Matic 2032

Kontroller alle 15000 mil, skift alle 30000 mil

FORD (USA) E-SERIE WAGON E-150

WAGON 5.4 V8 (2008-2011)



GEAR AUTOMATISK TorqShift 5/1
Kapacitet: 17,7 liter (Tør efterfyld)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Matic 4036	SP Matic 2032	

Kontroller alle 15000 mil, skift alle 60000 mil

ANVEND		KLIMA
Krævende		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Matic 4036	SP Matic 2032	

Kontroller alle 15000 mil, skift alle 30000 mil

SELVSPÆRRENDE DIFFERENTIALE BAG Dana M60
Kapacitet: 2,8 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 105000 mil

ANVEND		KLIMA
Krævende		Moderat
PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 50000 mil

HYDRAULISK BREMSESYSTEM
Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

FORD (USA) E-SERIE WAGON E-150

WAGON 5.4 V8 (2008-2011)

**SERVOSTYRING**

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032*Kontroller alle 6 måneder***KØLESYSTEM**

Kapacitet: 27,2 liter, Kapacitet: 29,1 liter (+ varmeapparat)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12

PRODUKTANBEFALING 2

Coolant SP 11*Kontroller alle 6 måneder, skift alle 45000 mil/ 36 måneder*

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12

PRODUKTANBEFALING 2

Coolant SP 11*Kontroller alle 6 måneder, skift alle 105000 mil/ 72 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.