

FORD (USA) EDGE, 1. GEN U387 EDGE 3.5 TI-VCT V6 AWD (2012-2013)



MOTOR Duratec
Kapacitet: 5,7 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Skift alle 10000 mil/ 12 måneder

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Skift alle 5000 mil/ 6 måneder

DIFFERENTIALE BAG
Kapacitet: 1,15 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

Skift alle 150000 mil

REDUKTIONSGEARKASSE
Kapacitet: 0,35 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

FORD (USA) EDGE, 1. GEN U387 EDGE 3.5 TI-VCT V6 AWD (2012-2013)



TRANSAXSEL AUTOMATISK 6F50 6/1 Kapacitet: 10,4 liter (Tør efterfyld)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1 SP Matic 4036	PRODUKTANBEFALING 2 SP Matic 2032	

Skift alle 150000 mil

ANVEND		KLIMA
Krævende		Moderat
PRODUKTANBEFALING 1 SP Matic 4036	PRODUKTANBEFALING 2 SP Matic 2032	

Skift alle 30000 mil/ 3 måneder

HYDRAULISK BREMSESYSYSTEM Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1 Drauliquid DOT 3		

SERVOSTYRING Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1 SP Matic 2032		

KØLESYSTEM Kapacitet: 11,1 liter, Kapacitet: 11,3 liter (Med anhængertræk)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1 Coolant SP 15+	PRODUKTANBEFALING 2 Coolant SP 12	PRODUKTANBEFALING 3 Coolant -38 Organic NF

Skift alle 50000 mil/ 36 måneder

ANVEND		KLIMA
Første skift kun		Moderat
PRODUKTANBEFALING 1 Coolant SP 15+	PRODUKTANBEFALING 2 Coolant SP 12	PRODUKTANBEFALING 3 Coolant -38 Organic NF

Skift alle 100000 mil/ 72 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products.

FORD (USA) EDGE, 1. GEN U387 EDGE 3.5 TI-VCT V6 AWD (2012-2013)



Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.