

# FORD (USA) ESCAPE, 2ND GEN ESCAPE HYBRID 2.5 16V (2008-2011)



**ENGINE** Atkinson 2.5  
Capacity: 5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Duranza ECO 5W-20**

*Check every 1 months, change every 10000 miles/ 12 months*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

**Duranza ECO 5W-20**

*Change every 5000 miles/ 6 months*

**TRANSAXLE CVT** CFT-30 1/1  
Capacity: 5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4036**

PRODUCT RECOMMENDATION 2

**SP Matic 2032**

## HYDRAULIC BRAKE SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3**

## COOLING SYSTEM

Capacity: 7 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 12**

PRODUCT RECOMMENDATION 2

**Coolant SP 11**

*Check every 6 months, change every 80000 km/ 36 months*

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 12**

PRODUCT RECOMMENDATION 2

**Coolant SP 11**

*Check every 6 months, change every 160000 km/ 72 months*

# FORD (USA) ESCAPE, 2ND GEN ESCAPE HYBRID 2.5 16V (2008-2011)



## COOLING SYSTEM ELECTRIC MOTOR/SYSTEM

Capacity: 3,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 12**

PRODUCT RECOMMENDATION 2

**Coolant SP 11***Check every 6 months, change every 80000 km/ 36 months*

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 12**

PRODUCT RECOMMENDATION 2

**Coolant SP 11***Check every 6 months, change every 160000 km/ 72 months*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.