

FORD (USA) EXPEDITION EXPEDITION 5.4 V8 AWD (2005-2006)



MOTOR

Kapacitet: 6,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Skift alle 5000 mil

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Skift alle 3000 mil/ 3 måneder/ 200 timer

DIFFERENTIALE BAG

Kapacitet: 2,13 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 150000 mil

DIFFERENTIALE FOR (4x4)

Kapacitet: 1,8-2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

Skift alle 150000 mil

FORD (USA) EXPEDITION EXPEDITION 5.4 V8 AWD (2005-2006)



GEAR AUTOMATISK 4R75E 4/1

Kapacitet: 13,1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

Kontroller alle 15000 mil, skift alle 150000 mil

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

Kontroller alle 15000 mil, skift alle 30000 mil

REDUKTIONSGEARKASSE

Kapacitet: 1,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Skift alle 150000 mil

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Skift alle 60000 mil

SELVSPÆRRENDE DIFFERENTIALE BAG

Kapacitet: 2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 150000 mil

FORD (USA) EXPEDITION EXPEDITION 5.4

V8 AWD (2005-2006)



HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Kontroller alle 12 måneder, skift alle 24 måneder

SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D

Kontroller alle 8000 km

KØLESYSTEM

Kapacitet: 19,4 liter, Kapacitet: 19,7 liter (Heavy Duty), Kapacitet: 20,9 liter (Højt-belastede + ekstra varmeapparat), Kapacitet: 20,7 liter (med 4-zoners airconditionssystem)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12

PRODUKTANBEFALING 2

Coolant SP 11

Kontroller alle 12 måneder, skift alle 240000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.