HONDA (EU) INSIGHT HYBRID ZE2 INSIGHT HYBRID (2011-2014)



ENGINE LDA3 Capacity: 4.2 liter (Dry fill) Capacit	y: 3,6 liter (Service fill), Filter capacity: 0,2 li	ter
USE	y. 0,0 mor (dervice mi), i mer capacity. 0,2 m	CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Presteza MSP 0W-20	Presteza MSP 0W-30	Duranza LSP 5W-30
Change every 20000 km/ 12 month	ns	
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Presteza MSP 0W-20	Presteza MSP 0W-30	Duranza LSP 5W-30
Change every 10000 km/6 months		,

TRANSAXLE CVT 1/1

Capacity: 5,2 liter (Dry fill), Capacity: 2,8 liter (Service fill)

We are unable to give a standard recommendation for this component. Please contact our service department.

E/CLUTCH SYSTEM ABS	
	CLIMATE
	Moderate
ATION 1 PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
per DOT 4 Drauliquid-S DOT 4	Drauliquid DOT 3

Check every 20000 km/ 12 months, change every 36 months

USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	
Check every 20000 km/ 12 months, change	y 100000 km/ 60 months
USE	CLIMATE
First change only	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	

AIRCONDITIONING

Capacity: 450-500 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

PRODUCT RECOMMENDATION

HONDA (EU) INSIGHT HYBRID ZE2 INSIGHT HYBRID (2011-2014)



AIRCONDITIONING COMPRESSOR

Capacity: 80 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.