

# HYUNDAI (EU) EQUUS / CENTENNIAL VI EQUUS / CENTENNIAL 4.6 V8 MPI (2011-2013)



**MOTOR** Tau  
Kapacitet: 6,5 liter

| ANVEND     | KLIMA            |
|------------|------------------|
| Foretrukne | Middelhavsagtigt |

|                       |  |  |
|-----------------------|--|--|
| PRODUKTANBEFALING 1   |  |  |
| <b>Emperol 10W-40</b> |  |  |

Skift alle 15000 km/ 12 måneder

| ANVEND     | KLIMA   |
|------------|---------|
| Foretrukne | Moderat |

|                          |                           |                          |
|--------------------------|---------------------------|--------------------------|
| PRODUKTANBEFALING 1      | PRODUKTANBEFALING 2       | PRODUKTANBEFALING 3      |
| <b>Duranza ECO 5W-20</b> | <b>Presteza MSP 5W-30</b> | <b>Duranza LSP 5W-30</b> |

Skift alle 15000 km/ 12 måneder

| ANVEND              | KLIMA            |
|---------------------|------------------|
| Stærk (foretrukket) | Middelhavsagtigt |

|                       |  |  |
|-----------------------|--|--|
| PRODUKTANBEFALING 1   |  |  |
| <b>Emperol 10W-40</b> |  |  |

Skift alle 7500 km/ 6 måneder

| ANVEND              | KLIMA   |
|---------------------|---------|
| Stærk (foretrukket) | Moderat |

|                          |                           |                          |
|--------------------------|---------------------------|--------------------------|
| PRODUKTANBEFALING 1      | PRODUKTANBEFALING 2       | PRODUKTANBEFALING 3      |
| <b>Duranza ECO 5W-20</b> | <b>Presteza MSP 5W-30</b> | <b>Duranza LSP 5W-30</b> |

Skift alle 7500 km/ 6 måneder

| ANVEND                  | KLIMA            |
|-------------------------|------------------|
| Alternativ (acceptabel) | Middelhavsagtigt |

|                       |                        |                        |
|-----------------------|------------------------|------------------------|
| PRODUKTANBEFALING 1   | PRODUKTANBEFALING 2    | PRODUKTANBEFALING 3    |
| <b>Emperol 10W-40</b> | <b>Bi-Turbo 15W-40</b> | <b>Bi-Turbo 20W-50</b> |

Skift alle 15000 km/ 12 måneder

| ANVEND                  | KLIMA   |
|-------------------------|---------|
| Alternativ (acceptabel) | Moderat |

|                          |                          |                      |
|--------------------------|--------------------------|----------------------|
| PRODUKTANBEFALING 1      | PRODUKTANBEFALING 2      | PRODUKTANBEFALING 3  |
| <b>Duranza ECO 5W-20</b> | <b>Duranza LSP 5W-30</b> | <b>Asyntho 5W-30</b> |

Skift alle 15000 km/ 12 måneder

| ANVEND           | KLIMA            |
|------------------|------------------|
| Alternativ, svær | Middelhavsagtigt |

|                       |                        |                        |
|-----------------------|------------------------|------------------------|
| PRODUKTANBEFALING 1   | PRODUKTANBEFALING 2    | PRODUKTANBEFALING 3    |
| <b>Emperol 10W-40</b> | <b>Bi-Turbo 15W-40</b> | <b>Bi-Turbo 20W-50</b> |

Skift alle 7500 km/ 6 måneder

# HYUNDAI (EU) EQUUS / CENTENNIAL VI EQUUS / CENTENNIAL 4.6 V8 MPI (2011-2013)



| ANVEND                        |                          | KLIMA                |
|-------------------------------|--------------------------|----------------------|
| Alternativ, svær              |                          | Moderat              |
| PRODUKTANBEFALING 1           | PRODUKTANBEFALING 2      | PRODUKTANBEFALING 3  |
| <b>Duranza ECO 5W-20</b>      | <b>Duranza LSP 5W-30</b> | <b>Asyntho 5W-30</b> |
| Skift alle 7500 km/ 6 måneder |                          |                      |

| DIFFERENTIALE BAG                    |                           |                       |
|--------------------------------------|---------------------------|-----------------------|
| Kapacitet: 1,4 liter                 |                           |                       |
| ANVEND                               |                           | KLIMA                 |
| Normal                               |                           | Moderat               |
| PRODUKTANBEFALING 1                  | PRODUKTANBEFALING 2       | PRODUKTANBEFALING 3   |
| <b>SP Gear 1011</b>                  | <b>Syngear TDL 75W-90</b> | <b>Syngear 75W-90</b> |
| Kontroller alle 48 måneder/ 60000 km |                           |                       |

| ANVEND               |                           | KLIMA                 |
|----------------------|---------------------------|-----------------------|
| Krævende             |                           | Moderat               |
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2       | PRODUKTANBEFALING 3   |
| <b>SP Gear 1011</b>  | <b>Syngear TDL 75W-90</b> | <b>Syngear 75W-90</b> |
| Skift alle 120000 km |                           |                       |

| GEAR AUTOMATISK 8/1                  |  |         |
|--------------------------------------|--|---------|
| Kapacitet: 10,1 liter                |  |         |
| ANVEND                               |  | KLIMA   |
| Normal                               |  | Moderat |
| PRODUKTANBEFALING 1                  |  |         |
| <b>SP Matic 4036</b>                 |  |         |
| Kontroller alle 48 måneder/ 60000 km |  |         |

| ANVEND               |  | KLIMA   |
|----------------------|--|---------|
| Krævende             |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>SP Matic 4036</b> |  |         |
| Skift alle 90000 km  |  |         |

| HYDRAULISK BREMSESYSTEM                                               |                           |                         |
|-----------------------------------------------------------------------|---------------------------|-------------------------|
| Kapacitet: 0,7-0,8 liter                                              |                           |                         |
| ANVEND                                                                |                           | KLIMA                   |
| Normal                                                                |                           | Moderat                 |
| PRODUKTANBEFALING 1                                                   | PRODUKTANBEFALING 2       | PRODUKTANBEFALING 3     |
| <b>Drauliquid-LV Super DOT 4</b>                                      | <b>Drauliquid-S DOT 4</b> | <b>Drauliquid DOT 3</b> |
| Kontroller alle 15000 km/ 12 måneder, skift alle 30000 km/ 24 måneder |                           |                         |

# HYUNDAI (EU) EQUUS / CENTENNIAL VI EQUUS / CENTENNIAL 4.6 V8 MPI (2011- 2013)



## SERVOSTYRING

Kapacitet: 0,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Fluid 3013**

## KØLESYSTEM

Kapacitet: 13,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 15+**

PRODUKTANBEFALING 2

**Coolant SP 12**

*Skift alle 30000 km/ 24 måneder*

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 15+**

PRODUKTANBEFALING 2

**Coolant SP 12**

*Skift alle 210000 km/ 120 måneder*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*