

HYUNDAI (EU) GENESIS COUPÉ BK

GENESIS COUPÉ 3.8 GDI V6 (2013-2014)

**ENGINE** Lambda II

Capacity: 6,5 liter (Dry fill), Capacity: 6 liter (Service fill), Filter capacity: 0,3 liter

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|---------------------------|--------------------------|--------------------------|
| Presteza MSP 5W-30 | Duranza LSP 5W-30 | Helar MSP+ 5W-40 |

Check every 500 km, change every 15000 km/ 12 months

| USE | CLIMATE |
|--------|----------|
| Severe | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|---------------------------|--------------------------|--------------------------|
| Presteza MSP 5W-30 | Duranza LSP 5W-30 | Helar MSP+ 5W-40 |

*Check every 500 km, change every 5000 km/ 3 months***DIFFERENTIAL REAR**

Capacity: 1,45 liter

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|--------------------------|---------------------------|--------------------------|
| SP Gear 1011 | Syngear TDL 75W-90 | Syngear 75W-90 |

Check every 48 months/ 60000 km

| USE | CLIMATE |
|--------|----------|
| Severe | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|--------------------------|---------------------------|--------------------------|
| SP Gear 1011 | Syngear TDL 75W-90 | Syngear 75W-90 |

*Check every 60000 km/ 48 months, change every 120000 km***TRANSMISSION AUTOMATIC** A8LR1 8/1

Capacity: 9,6 liter

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|--------------------------|--|--|
| SP Matic 4036 | | |

Check every 48 months/ 60000 km

| USE | CLIMATE |
|--------|----------|
| Severe | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|--------------------------|--|--|
| SP Matic 4036 | | |

Check every 60000 km/ 48 months, change every 90000 km

HYUNDAI (EU) GENESIS COUPÉ BK

GENESIS COUPÉ 3.8 GDI V6 (2013-2014)

**TRANSMISSION MANUAL M6VR2 6/1**

Capacity: 2,2 liter

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

SP Gear 5015

PRODUCT RECOMMENDATION 2

Syngear 75W-90*Check every 48 months/ 60000 km*

| USE | CLIMATE |
|--------|----------|
| Severe | Moderate |

PRODUCT RECOMMENDATION 1

SP Gear 5015

PRODUCT RECOMMENDATION 2

Syngear 75W-90*Check every 60000 km/ 48 months, change every 120000 km***HYDRAULIC BRAKE/CLUTCH SYSTEM**

Capacity: 0,7-0,8 liter

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

Drauliquid-LV Super DOT 4

PRODUCT RECOMMENDATION 2

Drauliquid-S DOT 4

PRODUCT RECOMMENDATION 3

Drauliquid DOT 3*Check every 15000 km/ 12 months, change every 30000 km/ 24 months***POWER STEERING**

Capacity: 0,9 liter

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

SP Fluid 3013*Check every 15000 km/ 12 months*

HYUNDAI (EU) GENESIS COUPÉ BK

GENESIS COUPÉ 3.8 GDI V6 (2013-2014)

**COOLING SYSTEM**

Capacity: 8,8 liter (with automatic transmission), Capacity: 9 liter (with manual transmission)

| USE | | CLIMATE |
|--------------------------|--------------------------|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Coolant SP 15+ | Coolant SP 12 | |

Change every 30000 km/ 24 months

| USE | | CLIMATE |
|--------------------------|--------------------------|----------|
| First change only | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Coolant SP 15+ | Coolant SP 12 | |

*Check every 30000 km/ 24 months, change every 210000 km/ 120 months***AIRCONDITIONING COMPRESSOR**

Capacity: 140-160 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM R-134a

Capacity: 545-595 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.