

JEEP (EU) PATRIOT MK74 PATRIOT 2.0 4X4 (2007-2010)



MOTOR Dual VVT
Kapacitet: 4,26 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Skift alle 12000 km/ 12 måneder

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Skift alle 5000 km/ 3 måneder

DIFFERENTIALE BAG
Kapacitet: 0,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

Skift alle 96000 km/ 96 måneder

GEAR CVT 1/1
Kapacitet: 7 liter (Servicepåfyldning), Kapacitet: 8,1 liter (Tør efterfyld)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Matic 4016

Skift alle 192000 km/ 192 måneder

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Matic 4016

Skift alle 96000 km

JEEP (EU) PATRIOT MK74 PATRIOT 2.0 4X4 (2007-2010)



GEAR MANUEL 5/1

Kapacitet: 2,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Kontroller alle 1 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Skift alle 77000 km

REDUKTIONSGEARKASSE

Kapacitet: 0,53 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

Skift alle 96000 km/ 96 måneder

HYDRAULISK BREMSESYSTEM ABS

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Kontroller alle 1 måneder

SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Kontroller alle 1 måneder

JEEP (EU) PATRIOT MK74 PATRIOT 2.0 4X4 (2007-2010)



KØLESYSTEM

Kapacitet: 6,8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12 EVO

Kontroller alle 1 måneder, skift alle 160000 km/ 60 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.