

JEEP (EU) GRAND CHEROKEE ZJ GRAND CHEROKEE 5.2 V8 (1992-1996)

**ENGINE**

Capacity: 4,7 liter, Filter capacity: 0,5 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Asyntho 5W-30****PRODUCT RECOMMENDATION 2****Emperol 10W-40***Change every 12000 km/ 6 months***USE**

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Asyntho 5W-30****PRODUCT RECOMMENDATION 2****Emperol 10W-40***Change every 5000 km/ 3 months***DIFFERENTIAL REAR**

Capacity: 1,6 liter (Model 35), Capacity: 2,3 liter (Model 44)

USE

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Gearlube GL-5 80W-90***Change every 19000 km***DIFFERENTIAL REAR Quadra Drive**

Capacity: 1,6 liter (Model 35), Capacity: 2,3 liter (Model 44)

USE

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Gearlube Racing 75W-140***Change every 19000 km***DIFFERENTIAL REAR LIMITED SLIP**

Capacity: 1,6 liter (Model 35), Capacity: 2,3 liter (Model 44)

USE

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Gearlube Racing 75W-140***Change every 19000 km*

JEEP (EU) GRAND CHEROKEE ZJ GRAND CHEROKEE 5.2 V8 (1992-1996)


TRANSMISSION AUTOMATIC 42/44 RE 4/1

Capacity: 8-10,4 liter (Dry fill)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Check every 12000 km/ 12 months, change every 48000 km/ 48 months

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Change every 19000 km

HYDRAULIC BRAKE SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

Change every 24000 km/ 24 months

HYDRAULIC CLUTCH SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

Check every 12000 km/ 12 months

POWER STEERING

Capacity: 1,2 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Check every 12000 km/ 12 months

JEEP (EU) GRAND CHEROKEE ZJ GRAND CHEROKEE 5.2 V8 (1992-1996)



GREASE POINTS/NIPPLES

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Check every 12000 km/ 12 months

COOLING SYSTEM

Capacity: 14,1 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant -38 Organic NF		

Change every 24 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.