PRODUCT RECOMMENDATION

JEEP (EU) WRANGLER JK WRANGLER 3.6 4X4 JK (2012-2013)

ENGINE Pentastar
Capacity: 5,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Helar SP LL-03 5W-30	**Presteza MSP 5W-30**	**Avanza RPC 5W-30**

Change every 13000 km/ 6 months

DIFFERENTIAL FRONT 186 FBI
Capacity: 1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube GL-5 80W-90		

Check every 39000 km/ 18 months

DIFFERENTIAL FRONT 216 FBI
Capacity: 1,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube GL-5 80W-90		

Check every 39000 km/ 18 months

DIFFERENTIAL FRONT LIMITED SLIP 216 FBI
Capacity: 1,3 liter, Capacity: 0,12 liter (LS-additive)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
SP Gear LS 1015		

Check every 39000 km/ 18 months

DIFFERENTIAL REAR 226 RBI
Capacity: 2,25 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube GL-5 80W-90		

Check every 39000 km/ 18 months

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

JEEP (EU) WRANGLER JK WRANGLER 3.6 4X4 JK (2012-2013)

DIFFERENTIAL REAR LIMITED SLIP 226 RBI
Capacity: 2,25 liter, Capacity: 0,12 liter (LS-additive)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear LS 1015		

Check every 39000 km/ 18 months

DIFFERENTIAL REAR LIMITED SLIP WITH TRAILER TOWING PACKAGE 226 RBI
Capacity: 2,25 liter, Capacity: 0,12 liter (LS-additive)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube Racing 75W-140		

Check every 39000 km/ 18 months

DIFFERENTIAL REAR WITH TRAILER TOWING PACKAGE 226 RBI
Capacity: 2,25 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube Racing 75W-140		

Check every 39000 km/ 18 months

TRANSFERBOX NV 241
Capacity: 2 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Check every 52000 km/ 24 months

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Check every 52000 km/ 24 months, change every 104000 km/ 48 months

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

JEEP (EU) WRANGLER JK WRANGLER 3.6 4X4 JK (2012-2013)

TRANSMISSION AUTOMATIC WA580 / NAG 1 5/1
Capacity: 7,7 liter (Dry fill), Capacity: 5 liter (Service fill)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Change every 195000 km/ 90 months

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Change every 104000 km/ 48 months

TRANSMISSION MANUAL NSG370 6/1
Capacity: 1,5 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 5015		

Change every 195000 km/ 90 months

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 5015		

Change every 52000 km/ 24 months

HYDRAULIC BRAKE/CLUTCH SYSTEM
Capacity: 0-0 liter (Between min and max.)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid-LV Super DOT 4	**Drauliquid-S DOT 4**	**Drauliquid DOT 3**

POWER STEERING

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

JEEP (EU) WRANGLER JK WRANGLER 3.6 4X4 JK (2012-2013)

COOLING SYSTEM Capacity: 9,9 liter		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Coolant SP 12 EVO**		
Change every 169000 km/ 60 months		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367