

KIA (EU) CARENS UN CARENS 2.0 CVVT (2006-2012)



MOTOR G4KA

Kapacitet: 3,9 liter (Servicepåfyldning)

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Bi-Turbo 15W-40	Bi-Turbo 20W-50

Skift alle 15000 km/ 12 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Duranza ECO 5W-20	Duranza LSP 5W-30	Asyntho 5W-30

Skift alle 15000 km/ 12 måneder

ANVEND	KLIMA
Krævende	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Bi-Turbo 15W-40	Bi-Turbo 20W-50

Skift alle 7500 km/ 6 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Duranza ECO 5W-20	Duranza LSP 5W-30	Asyntho 5W-30

Skift alle 7500 km/ 6 måneder

TRANSAKSEL AUTOMATISK F4A42 4/1

Kapacitet: 7,8 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1
SP Matic 4026

Kontroller alle 15000 km/ 12 måneder, skift alle 90000 km/ 72 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1
SP Matic 4026

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km

KIA (EU) CARENS UN CARENS 2.0 CVVT (2006-2012)



TRANSAKSEL MANUEL M5GF1 5/1

Kapacitet: 2,1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 5015

PRODUKTANBEFALING 2

Syngear 75W-90

Kontroller alle 15000 km/ 12 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 5015

PRODUKTANBEFALING 2

Syngear 75W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 100000 km

HYDRAULISK BREMSE- & KOBLINGSSYSTEM

Kapacitet: 0,7-0,8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2

Drauliquid-S DOT 4

PRODUKTANBEFALING 3

Drauliquid DOT 3

Kontroller alle 15000 km/ 12 måneder, skift alle 30000 km/ 24 måneder

SERVOSTYRING

Kapacitet: 0,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 3013

Kontroller alle 15000 km/ 12 måneder

KIA (EU) CARENS UN CARENS 2.0 CVVT (2006-2012)



KØLESYSTEM

Kapacitet: 6,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

Kontroller alle 15000 km/ 12 måneder, skift alle 40000 km/ 24 måneder

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

Kontroller alle 15000 km/ 12 måneder, skift alle 100000 km/ 60 måneder

KLIMAANLÆGSKOMPRESSOR

Kapacitet: 120 cm³

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.