

KIA (EU) SORENTO BL/JC SORENTO 2.5 CRDI (2002-2004)



MOTOR D4CB
Kapacitet: 8,2 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 2
Bi-Turbo 15W-40

Skift alle 15000 km/ 12 måneder

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Asyntho 5W-30

Skift alle 15000 km/ 12 måneder

ANVEND
Krævende

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 2
Bi-Turbo 15W-40

Skift alle 7500 km/ 6 måneder

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1
Asyntho 5W-30

Skift alle 7500 km/ 6 måneder

DIFFERENTIALE BAG (4x4)
Kapacitet: 1,6 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube GL-5 80W-90

Kontroller alle 20000 km, skift alle 40000 km

DIFFERENTIALE FOR (4x4)
Kapacitet: 1,3 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube GL-5 80W-90

Kontroller alle 20000 km, skift alle 40000 km

KIA (EU) SORENTO BL/JC SORENTO 2.5 CRDI (2002-2004)



GEAR AUTOMATISK 4/1

Kapacitet: 10,2 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

Kontroller alle 15000 km/ 12 måneder, skift alle 90000 km/ 72 måneder

REDUKTIONSGEARKASSE (4x4)

Kapacitet: 1,42 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

Kontroller alle 15000 km/ 12 måneder

SELVSPÆRRENDE DIFFERENTIALE BAG (4x4)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 20000 km, skift alle 40000 km

TRANSAKSEL MANUEL (4x2) 5/1

Kapacitet: 3,2 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Kontroller alle 15000 km/ 12 måneder

TRANSAKSEL MANUEL (4x4) 5/1

Kapacitet: 2,7 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Kontroller alle 15000 km/ 12 måneder

KIA (EU) SORENTO BL/JC SORENTO 2.5 CRDI (2002-2004)



HYDRAULISK BREMSE- & KOBLINGSSYSTEM

Kapacitet: 0,35 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2

Drauliquid-S DOT 4

PRODUKTANBEFALING 3

Drauliquid DOT 3

Kontroller alle 15000 km/ 12 måneder, skift alle 30000 km/ 24 måneder

SERVOSTYRING

Kapacitet: 0,85 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Kontroller alle 15000 km/ 12 måneder

KØLESYSTEM

Kapacitet: 10 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

Kontroller alle 15000 km/ 12 måneder, skift alle 40000 km/ 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.