LAMBORGHINI MURCIÉLAGO MURCIÉLAGO (2002-2006)



ENGINE L535
Capacity: 12 liter (Service fill)

USE

Normal

PRODUCT RECOMMENDATION 1

Bi-Turbo 20W-50

Change every 12000 km/ 12 months

Normal Moderate

PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2
Emperol 5W-40 Asyntho 5W-30

Change every 12000 km/ 12 months

Check every 12000 km, change every 24000 km

DIFFERENTIAL FRONT (4x4) Capacity: 1 liter		
USE CLIMATE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011 Syngear TDL 75W-90		Syngear 75W-90
Check every 12000 km, change every 24000 km		

DIFFERENTIAL REAR Capacity: 2,5 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

TRANSMISSION MANUAL 6/1 Capacity: 3,5 liter		
use Normal		CLIMATE
		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011 Syngear TDL 75W-90		Syngear 75W-90

LAMBORGHINI MURCIÉLAGO MURCIÉLAGO (2002-2006)



HYDRAULIC SYSTEM E-GEAR		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3023		

HYDRAULIC BRAKE/CLUTCH SYSTEM ABS 4177 Capacity: 0,35 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	

Check every 12000 km, change every 12 months

POWER STEERING/HYDRAULIC LEVELLING Capacity: 2,7 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 2032	ATF Almirol	
OI Madio 2002		

Check every 12000 km, change every 24 months

GREASE POINTS/NIPPLES	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Multi Purpose Grease 3	

Check every 24000 km

COOLING SYSTEM Capacity: 15 liter		
USE	CLIMATE	
Normal	Modera	te
PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		
Check every 12000 km		

PRODUCT RECOMMENDATION

LAMBORGHINI MURCIÉLAGO MURCIÉLAGO (2002-2006)



STEERING BOX Capacity: 0,12 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Gear Grease EP 00/000	
Check every 12000 km	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.