

# LAMBORGHINI REVENTON ROADSTER

## REVENTON ROADSTER (2010-2011)

**ENGINE L537**

Capacity: 13,5 liter (Service fill)

| USE    | CLIMATE  |
|--------|----------|
| Normal | Tropical |

## PRODUCT RECOMMENDATION 1

**Bi-Turbo 20W-50***Change every 12000 km/ 12 months*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**Emperol 5W-40**

## PRODUCT RECOMMENDATION 2

**Asyntho 5W-30***Change every 12000 km/ 12 months***DIFFERENTIAL FRONT (4x4)**

Capacity: 1 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**SP Gear 1011**

## PRODUCT RECOMMENDATION 2

**Syngear TDL 75W-90**

## PRODUCT RECOMMENDATION 3

**Syngear 75W-90***Check every 12000 km, change every 24000 km***DIFFERENTIAL REAR**

Capacity: 1,9 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**SP Gear 1011**

## PRODUCT RECOMMENDATION 2

**Syngear TDL 75W-90**

## PRODUCT RECOMMENDATION 3

**Syngear 75W-90***Check every 12000 km, change every 24000 km***TRANSMISSION MANUAL 6/1**

Capacity: 3,5 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**SP Gear 1011**

## PRODUCT RECOMMENDATION 2

**Syngear TDL 75W-90**

## PRODUCT RECOMMENDATION 3

**Syngear 75W-90***Check every 12000 km, change every 24000 km*

# LAMBORGHINI REVENTON ROADSTER

## REVENTON ROADSTER (2010-2011)



### HYDRAULIC SYSTEM E-Gear

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Fluid 3023</b>     |  |          |

### HYDRAULIC BRAKE/CLUTCH SYSTEM ABS 4177

Capacity: 0,35 liter

| USE                              |  | CLIMATE  |
|----------------------------------|--|----------|
| Normal                           |  | Moderate |
| PRODUCT RECOMMENDATION 1         |  |          |
| <b>Drauliquid-LV Super DOT 4</b> |  |          |

Check every 12000 km, change every 12 months

### POWER STEERING/HYDRAULIC LEVELLING

Capacity: 2,7 liter

| USE                      |                          | CLIMATE  |
|--------------------------|--------------------------|----------|
| Normal                   |                          | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |          |
| <b>SP Matic 2032</b>     | <b>ATF Almirol</b>       |          |

Check every 12000 km, change every 24 months

### GREASE POINTS/NIPPLES

| USE                           |  | CLIMATE  |
|-------------------------------|--|----------|
| Normal                        |  | Moderate |
| PRODUCT RECOMMENDATION 1      |  |          |
| <b>Multi Purpose Grease 3</b> |  |          |

Check every 24000 km

### COOLING SYSTEM

Capacity: 15 liter

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Coolant SP 12 EVO</b> |  |          |

Check every 12000 km

# LAMBORGHINI REVENTON ROADSTER

## REVENTON ROADSTER (2010-2011)

**STEERING BOX**

Capacity: 0,12 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**Gear Grease EP 00/000***Check every 12000 km*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*