

LAND ROVER (EU) DISCOVERY 4 L319

DISCOVERY 4 3.0 TDV6 (155 KW) DPF (2012-2017)



MOTOR TDV6 (lion)

Kapacitet: 5,9 liter (Servicepåfyldning), Kapacitet: 6,75 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Elvado LSP 5W-30

Skift alle 26000 km/ 12 måneder

DIFFERENTIALE BAG

Kapacitet: 1,18 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

DIFFERENTIALE BAG

Kapacitet: 1,72 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear LS 1015

DIFFERENTIALE FOR

Kapacitet: 0,56 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

LAND ROVER (EU) DISCOVERY 4 L319

DISCOVERY 4 3.0 TDV6 (155 KW) DPF (2012-2017)



GEAR AUTOMATISK ZF 8HP70 8/1

Kapacitet: 8,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2034

Skift alle 48000 km

ANVEND

Fylt på livstid

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2034

REDUKTIONSGEARKASSE Single Speed

Kapacitet: 0,75 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

REDUKTIONSGEARKASSE MED LAV OMRÅDEOVERFØRING Twin Speed

Kapacitet: 1,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2072

HYDRAULISK BREMSESYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 3013

LAND ROVER (EU) DISCOVERY 4 L319 DISCOVERY 4 3.0 TDV6 (155 KW) DPF (2012-2017)



KØLESYSTEM

Kapacitet: 11,6-14,1 liter (+ varmeapparat), Kapacitet: 10,3 liter (Servicepåfyldning), Kapacitet: 15,9-16,6 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.