## LAND ROVER (EU) DISCOVERY 4 L319 DISCOVERY 4 3.0 TDV6 (155 KW) (2012-2017)



ENGINE TDV6 (lion) Capacity: 6,75 liter (Dry fill), Capacity: 5,9 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Duranza LSP 5W-30		
Change every 26000 km/ 12 months		
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
Duranza LSP 5W-30		
Change every 12000 km/ 6 months		

<b>DIFFERENTIAL FRONT</b> Capacity: 0,56 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

<b>DIFFERENTIAL REAR</b> Capacity: 1,18 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

е
_

## LAND ROVER (EU) DISCOVERY 4 L319 DISCOVERY 4 3.0 TDV6 (155 KW) (2012-2017)



TRANSFERBOX Single Speed Capacity: 0,75 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2032	
	<del></del>

TRANSFERBOX WITH LOW RANGE TRANSMISSION Twin Speed Capacity: 1,5 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
SP Matic 2072			

TRANSMISSION AUTOMATIC ZF 8HP7 Capacity: 8,5 liter	0 8/1	
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2034		
Change every 48000 km		
USE		CLIMATE
Filled for life		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2034		

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	

POWER STEERING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Fluid 3013	

## LAND ROVER (EU) DISCOVERY 4 L319 DISCOVERY 4 3.0 TDV6 (155 KW) (2012-2017)



COOLING SYSTEM Capacity: 11,6-14,1 liter (+ heater), Capacity: 15,9-16,6 liter (Dry fill), Capacity: 10,3 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.