

LAND ROVER (EU) RANGE ROVER L322/LM

RANGE ROVER TDV8 4.4 DPF (2010-2012)



MOTOR Ford 4.4 TD

Kapacitet: 9,5 liter (Servicepåfyldning), Kapacitet: 9,9 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Elvado LSP 5W-30

Skift alle 24000 km/ 12 måneder

DIFFERENTIALE BAG

Kapacitet: 1,14 liter, Kapacitet: 1,2 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Skift alle 120000 km/ 12 måneder

DIFFERENTIALE BAG

Kapacitet: 1,55 liter, Kapacitet: 1,6 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear LS 1015

Skift alle 120000 km/ 12 måneder

DIFFERENTIALE FOR

Kapacitet: 0,75 liter, Kapacitet: 0,8 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear 75W-90

Kontroller alle 48000 km/ 24 måneder, skift alle 240000 km/ 120 måneder

LAND ROVER (EU) RANGE ROVER L322/LM

RANGE ROVER TDV8 4.4 DPF (2010-2012)



GEAR AUTOMATISK ZF 8HP70 8/1

Kapacitet: 8,5 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2034

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2034

Skift alle 48000 km

REDUKTIONSGEARKASSE

Kapacitet: 1,5 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2072

Skift alle 120000 km/ 60 måneder

HYDRAULISK BREMSESYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

Skift alle 36 måneder

SERVOSTYRING

Kapacitet: 1,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 3013

LAND ROVER (EU) RANGE ROVER L322/LM RANGE ROVER TDV8 4.4 DPF (2010-2012)



KØLESYSTEM

Kapacitet: 8,2 liter (med 2-zoners airconditionssystem), Kapacitet: 9,2 liter (med 4-zoners airconditionssystem)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

Kontroller alle 48000 km/ 24 måneder, skift alle 240000 km/ 120 måneder

KLIMAANLÆGSKOMPRESSOR

Kapacitet: 110 cm³ (med 2-zoners airconditionssystem), Kapacitet: 200 cm³ (med 4-zoners airconditionssystem)

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

KLIMAANLÆGSSYSTEM

Kapacitet: 700 gram (med 2-zoners airconditionssystem), Kapacitet: 880 gram (med 4-zoners airconditionssystem)

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.