LAND ROVER (EU) RANGE ROVER L405/LG RANGE ROVER 5.0 V8 SUPERCHARGED (375 KW) (2014-2014)



ENGINE AJ133 SC
Capacity: 8 liter

USE
Normal

PRODUCT RECOMMENDATION 1
Presteza MSP 0W-20

CLIMATE
Moderate

Moderate

PRODUCT RECOMMENDATION 2
Duranza ECO 5W-20

Change every 26000 km/ 12 months

DIFFERENTIAL FRONT Capacity: 0,54 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

DIFFERENTIAL REAR Capacity: 0,85 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear LS 1015	

TRANSFERBOX Twin Speed Capacity: 1,5 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2072	

LAND ROVER (EU) RANGE ROVER L405/LG RANGE ROVER 5.0 V8 SUPERCHARGED



(375 KW) (2014-2014)

TRANSMISSION AUTOMATIC ZF 8HP70 Capacity: 8,5 liter) 8/1	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2034		

ACTIVE STABILIZATION SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Fluid 3013	

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	

COOLING SYSTEM Capacity: 8,83 liter, Capacity: 9 liter	· (+ heater)	
use Normal		CLIMATE
		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.