

LAND ROVER (EU) RANGE ROVER SPORT L320 RANGE ROVER SPORT TDV6 3.0 (155 KW) (2009-2012)

**ENGINE TDV6 (lion)**

Capacity: 6,75 liter (Dry fill), Capacity: 5,9 liter (Service fill)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Duranza LSP 5W-30*Change every 26000 km/ 12 months*

USE

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Duranza LSP 5W-30*Change every 12000 km/ 6 months***DIFFERENTIAL FRONT**

Capacity: 0,61 liter, Capacity: 0,68 liter (Dry fill)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1011

PRODUCT RECOMMENDATION 2

Syngear TDL 75W-90

PRODUCT RECOMMENDATION 3

Syngear 75W-90*Check every 48000 km/ 24 months, change every 240000 km/ 120 months***DIFFERENTIAL REAR**

Capacity: 1,18 liter, Capacity: 1,23 liter (Dry fill)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1011

PRODUCT RECOMMENDATION 2

Syngear TDL 75W-90

PRODUCT RECOMMENDATION 3

Syngear 75W-90*Check every 48000 km/ 24 months, change every 240000 km/ 120 months***DIFFERENTIAL REAR**

Capacity: 1,72 liter, Capacity: 1,77 liter (Dry fill)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

SP Gear LS 1015*Check every 48000 km/ 24 months, change every 240000 km/ 120 months*

LAND ROVER (EU) RANGE ROVER SPORT

L320 RANGE ROVER SPORT TDV6 3.0 (155 KW) (2009-2012)

**TRANSFERBOX**

Capacity: 1,5 liter (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 2072*Change every 120000 km/ 60 months***TRANSMISSION AUTOMATIC ZF 6HP28 6/1**

Capacity: 9,9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Change every 48000 km***ACTIVE STABILIZATION SYSTEM**

Capacity: 2,4 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Fluid 3013**HYDRAULIC BRAKE SYSTEM**

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid-LV Super DOT 4*Change every 36 months*

LAND ROVER (EU) RANGE ROVER SPORT L320 RANGE ROVER SPORT TDV6 3.0 (155 KW) (2009-2012)

**POWER STEERING**

Capacity: 1,3 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

COOLING SYSTEM

Capacity: 11,5 liter, Capacity: 12,8 liter (+ heater)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF

Check every 48000 km/ 24 months, change every 240000 km/ 120 months

AIRCONDITIONING COMPRESSOR

Capacity: 110 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 600 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.