

LEXUS (EU) IS XE30 IS 300H AVE30 (2013-2019)



MOTOR 2AR-FSE

Kapacitet: 4,5 liter (Servicepåfyldning), Kapacitet: 5,9 liter (Tør efterfyld), Filterkapacitet: 0,4 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Bi-Turbo 20W-50

Skift alle 15000 km/ 12 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Presteza MSP 0W-20

PRODUKTANBEFALING 2

Duranza ECO 5W-20

PRODUKTANBEFALING 3

Presteza MSP 5W-30

Skift alle 15000 km/ 12 måneder

ANVEND	KLIMA
Krævende	Middelhavsagtigt

PRODUKTANBEFALING 1

Bi-Turbo 20W-50

Skift alle 7500 km/ 6 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1

Presteza MSP 0W-20

PRODUKTANBEFALING 2

Duranza ECO 5W-20

PRODUKTANBEFALING 3

Presteza MSP 5W-30

Skift alle 7500 km/ 6 måneder

DIFFERENTIALE BAG

Kapacitet: 1,3-1,4 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1071

Skift alle 30000 km/ 48 måneder

LEXUS (EU) IS XE30 IS 300H AVE30 (2013-2019)



TRANSAKSEL ECVT L210 2/1

Kapacitet: 3,8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4036

Kontroller alle 48 måneder/ 60000 km

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4036

Kontroller alle 45000 km/ 36 måneder, skift alle 90000 km/ 72 måneder

HYDRAULISK BREMSESYSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Skift alle 30000 km/ 24 måneder

KØLESYSTEM

Kapacitet: 8,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 14+

Kontroller alle 30000 km, skift alle 90000 km

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 14+

Kontroller alle 30000 km, skift alle 150000 km

LEXUS (EU) IS XE30 IS 300H AVE30 (2013-2019)



KØLESYSTEM INVERTER

Kapacitet: 2-2,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 14+

Kontroller alle 30000 km, skift alle 90000 km

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 14+

Kontroller alle 30000 km, skift alle 240000 km

AIRCONDITION R-134a

Kapacitet: 520-620 gram

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

KLIMAANLÆGSKOMPRESSOR

Kapacitet: 120-135 cm3

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

KLIMAANLÆGSSYSTEM R-1234yf

Kapacitet: 470-530 gram

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.