

LEXUS (USA / CAN) LS XF40 LS 600H (USA) (2014-2016)



MOTOR 2UR-FSE

Kapacitet: 9 liter (Servicepåfyldning), Kapacitet: 9,8 liter (Tør efterfyld), Filterkapacitet: 0,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Presteza MSP 0W-20

Skift alle 10000 mil/ 12 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1

Presteza MSP 0W-20

Skift alle 5000 mil/ 6 måneder

DIFFERENTIALE BAG

Kapacitet: 1,35 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1071

Kontroller alle 15000 mil/ 18 måneder, skift alle 60000 mil/ 72 måneder

DIFFERENTIALE FOR

Kapacitet: 0,75 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1071

Kontroller alle 15000 mil/ 18 måneder

GEAR CVT L110F 2/1

Kapacitet: 3,2-3,6 liter (Servicepåfyldning), Kapacitet: 5,5 liter (Tør efterfyld)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Matic 4036

Kontroller alle 30000 mil/ 36 måneder

LEXUS (USA / CAN) LS XF40 LS 600H (USA) (2014-2016)



REDUKTIONSGEARKASSE LF1A

Kapacitet: 0,7 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Kontroller alle 30000 mil/ 36 måneder

HYDRAULISK BREMSESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 5000 mil/ 6 måneder, skift alle 30000 mil/ 36 måneder

KØLESYSTEM

Kapacitet: 11,1 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Coolant SP 14+		

Kontroller alle 15000 mil/ 18 måneder, skift alle 50000 mil/ 60 måneder

ANVEND		KLIMA
Første skift kun		Moderat
PRODUKTANBEFALING 1		
Coolant SP 14+		

Kontroller alle 15000 mil/ 18 måneder, skift alle 100000 mil/ 120 måneder

LEXUS (USA / CAN) LS XF40 LS 600H (USA) (2014-2016)



KØLESYSTEM INVERTER

Kapacitet: 2,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 14+

Kontroller alle 15000 mil/ 18 måneder, skift alle 50000 mil/ 60 måneder

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 14+

Kontroller alle 15000 mil/ 18 måneder, skift alle 100000 mil/ 120 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.