LEXUS (USA / CAN) ES XV60 ES 300H (USA) (2013-2018)

ENGINE 2AR-FXE
Capacity: 5,3 liter (Dry fill), Capacity: 4,4 liter (Service fill), Filter capacity: 0,4 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Presteza MSP 0W-20		

Change every 10000 miles/ 12 months

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
Presteza MSP 0W-20		

Change every 5000 miles/ 6 months

TRANSAXLE CVT 1/1
Capacity: 3,7 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4036		

Check every 15000 miles/ 18 months

HYDRAULIC BRAKE SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

Check every 15000 miles/ 18 months, change every 30000 miles/ 36 months

LEXUS (USA / CAN) ES XV60 ES 300H (USA)
(2013-2018)

COOLING SYSTEM		
Capacity: 7,2 liter, Capacity: 3,2 liter (Electric engine/generator control module)		
USE		**CLIMATE**
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		

Check every 15000 miles/ 18 months, change every 50000 miles/ 60 months

USE		**CLIMATE**
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		

Check every 15000 miles/ 18 months, change every 100000 miles/ 120 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.