LINCOLN MKZ MKZ 2.0 GTDI AWD (2013-2016)



ENGINE EcoBoost Capacity: 5,4 liter			
USE		CLIMATE	
Severe		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Duranza LSP 5W-30	Xedoz FE 5W-30		
Change every 5000 miles/ 6 months			
USE		CLIMATE	
Flexible (max)		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Duranza LSP 5W-30	Xedoz FE 5W-30		

Change every 10000 miles

DIFFERENTIAL REAR Capacity: 1,15 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Gearlube GL-5 80W-90	
USE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
Gearlube GL-5 80W-90	
Change every 30000 miles	· · · · · ·

Change every 30000 miles

TRANSAXLE AUTOMATIC 6F35 6/1 Capacity: 8,5 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4036	SP Matic 2032	

Change every 150000 miles

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4036	SP Matic 2032	

Change every 30000 miles

LINCOLN MKZ MKZ 2.0 GTDI AWD (2013-2016)



	•	
SP Matic 4036	SP Matic 2032	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Severe		Moderate
USE		CLIMATE
Change every 150000 miles		
SP Matic 4036	SP Matic 2032	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Normal		Moderate
USE		CLIMATE
Capacity: 11 liter		

Change every 30000 miles

TRANSFERBOX Capacity: 0,35 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Gearlube Racing 75W-140	

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)	
use Normal	climate Moderate
PRODUCT RECOMMENDATION 1 Drauliquid-LV Super DOT 4	

COOLING SYSTEM Capacity: 8,4 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15	Coolant SP 15+	
Change aver E0000 miles/26 may		

Change every 50000 miles/ 36 months

use First change only		сымате Moderate
PRODUCT RECOMMENDATION 1 Coolant SP 15	PRODUCT RECOMMENDATION 2 Coolant SP 15+	
Change every 100000 miles/ 72 months		·

LINCOLN MKZ MKZ 2.0 GTDI AWD (2013-2016)



AIRCONDITIONING COMPRESSOR Capacity: 154-184 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM Capacity: 570 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.