PRODUCT RECOMMENDATION

MAZDA (EU) CX-7 ER CX-7 2.5 (2009-2012)



ENGINE L5 Capacity: 5,5 liter (Dry fill), Capacity: 5 liter (Service fill), Filter capacity: 0,4 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Duranza ECO 5W-20	Presteza MSP 5W-30	Helar MSP+ 5W-40	
Change every 20000 km/ 12 months			
USE		CLIMATE	
Severe		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Duranza ECO 5W-20	Presteza MSP 5W-30	Helar MSP+ 5W-40	

Change every 10000 km

DIFFERENTIAL REAR Capacity: 1 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Gearlube GL-5 80W-90		

TRANSAXLE AUTOMATIC FS5A-EL 5/1 Capacity: 5 liter (Dry fill), Capacity: 3 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

TRANSFERBOX Capacity: 1,2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Gearlube GL-5 80W-90	

PRODUCT RECOMMENDATION

MAZDA (EU) CX-7 ER CX-7 2.5 (2009-2012)



	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid-S DOT 4	Drauliquid DOT 3
	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid-S DOT 4	Drauliquid DOT 3
	Drauliquid-S DOT 4 PRODUCT RECOMMENDATION 2

Change every 20000 km/ 12 months

POWER STEERING Capacity: 0,8-1,1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 2032	ATF Dexron II-D	
	I	

Check every 20000 km/ 12 months

COOLING SYSTEM Capacity: 9 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	

Check every 40000 km/24 months, change every 200000 km/132 months

AIRCONDITIONING COMPRESSOR Capacity: 120-150 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 445-495 grams (L.H.D.), Capacity: 475-525 grams (R.H.D.)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.