

# MERCEDES-BENZ (EU) C-CLASS W205 / V205 / S205 / C205 / A205 C 220 D DPF 205.002/004/204/304/404 (2015-2018)



**ENGINE** OM651.921  
Capacity: 6 liter

| USE                         |                             | CLIMATE                   |
|-----------------------------|-----------------------------|---------------------------|
| Flexible (max)              |                             | Moderate                  |
| PRODUCT RECOMMENDATION 1    | PRODUCT RECOMMENDATION 2    | PRODUCT RECOMMENDATION 3  |
| <b>Helar SP LL-03 0W-30</b> | <b>Helar SP LL-03 5W-30</b> | <b>Presteza MSP 5W-30</b> |

*Change every 25000 km*

**DIFFERENTIAL REAR** ALU-HAG 183  
Capacity: 0,8 liter

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Gear 1071</b>      |  |          |

**DIFFERENTIAL REAR** FE-HAG 187  
Capacity: 0,85 liter

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Gear 1071</b>      |  |          |

**DIFFERENTIAL REAR** FE-HAG 200  
Capacity: 1 liter

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Gear 1071</b>      |  |          |

**DIFFERENTIAL REAR** FE-HAG 215  
Capacity: 1,1 liter

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Gear 1071</b>      |  |          |

# MERCEDES-BENZ (EU) C-CLASS W205 / V205 / S205 / C205 / A205 C 220 D DPF 205.002/004/204/304/404 (2015-2018)

**DIFFERENTIAL REAR FE-HAG 225**

Capacity: 1,3 liter

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Gear 1071</b>      |  |          |

**TRANSMISSION AUTOMATIC 722.9xx 7/1**

Capacity: 9 liter (Dry fill)

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Matic 2094</b>     |  |          |

*Change every 125000 km/ 60 months***TRANSMISSION AUTOMATIC 725.0xx 9/1**

Capacity: 10 liter (Dry fill)

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Matic 2096</b>     |  |          |

*Change every 125000 km/ 60 months***TRANSMISSION MANUAL 716.754 6/1**

Capacity: 1,2 liter

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Matic 2072</b>     |  |          |

**HYDRAULIC BRAKE/CLUTCH SYSTEM**

Capacity: 0-0 liter (Between min and max.)

| USE                       |  | CLIMATE  |
|---------------------------|--|----------|
| Normal                    |  | Moderate |
| PRODUCT RECOMMENDATION 1  |  |          |
| <b>Drauliquid-S DOT 4</b> |  |          |

*Change every 24 months*

# MERCEDES-BENZ (EU) C-CLASS W205 / V205 / S205 / C205 / A205 C 220 D DPF 205.002/004/204/304/404 (2015-2018)

**COOLING SYSTEM**

Capacity: 0-0 liter (Between min and max.)

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| Coolant SP 12 EVO        |  |          |

Change every 200000 km/ 120 months

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*