

MERCEDES-BENZ (EU) CLS-KLASSE C218 / X218 CLS 63 AMG 4MATIC (410 KW) 218.392/992 (2013-2018)



MOTOR M157.981
Kapacitet: 8,5 liter

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Helar 0W-40

Skift alle 20000 km

DIFFERENTIALE BAG 215 FE, Ø 215 mm
Kapacitet: 1,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 50000 km/ 36 måneder

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 3000 km

DIFFERENTIALE FOR
Kapacitet: 0,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

MERCEDES-BENZ (EU) CLS-KLASSE C218 / X218 CLS 63 AMG 4MATIC (410 KW) 218.392/992 (2013-2018)



GEAR AUTOMATISK 722.9xx 7/1
Kapacitet: 9 liter (Tør efterfyld)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Matic 2094		

Skift alle 125000 km/ 60 måneder

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1		
SP Matic 2094		

Skift alle 50000 km/ 36 måneder

HYDRAULISK BREMSESYSYSTEM
Kapacitet: 0,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid-S DOT 4		

Skift alle 24 måneder

SERVOSTYRING
Kapacitet: 0,8 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Fluid 3013		

KØLESYSTEM
Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Coolant SP 12 EVO		

Skift alle 250000 km/ 180 måneder

KLIMAANLÆGSKOMPRESSOR
Kapacitet: 120 cm³

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

**MERCEDES-BENZ (EU) CLS-KLASSE C218 /
X218 CLS 63 AMG 4MATIC (410 KW)
218.392/992 (2013-2018)**



KLIMAANLÆGSSYSTEM

Kapacitet: 640 gram

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.