

MERCEDES-BENZ (EU) E-KLASSE COUPÉ/CABRIOLET C207 / A207 E 550 BLUEEFFICIENCY COUPÉ / CABRIOLET



MOTOR M275.922
Kapacitet: 8,5 liter

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Helar 0W-40

DIFFERENTIALE BAG 187 FE, Ø 187 mm
Kapacitet: 0,95 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

DIFFERENTIALE BAG 200 FE, Ø 200 mm
Kapacitet: 1,1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

DIFFERENTIALE BAG 215 FE, Ø 215 mm
Kapacitet: 1,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

MERCEDES-BENZ (EU) E-KLASSE COUPÉ/CABRIOLET C207 / A207 E 550 BLUEEFFICIENCY COUPÉ / CABRIOLET



GEAR AUTOMATISK 7/2.9x0:7/1
Kapacitet: 9 liter (Tør efterfyld)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Matic 2094		

Skift alle 125000 km/ 60 måneder

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1		
SP Matic 2094		

Skift alle 50000 km/ 36 måneder

HYDRAULIKSYSTEM KALECHE
Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Fluid 3023		

HYDRAULISK BREMSE- & KOBLINGSSYSTEM
Kapacitet: 0,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid-S DOT 4		

Skift alle 24 måneder

SERVOSTYRING
Kapacitet: 0,8 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Fluid 3013		

MERCEDES-BENZ (EU) E-KLASSE COUPÉ/CABRIOLET C207 / A207 E 550 BLUEEFFICIENCY COUPÉ / CABRIOLET



KOELSYSTEEM

Kapaciteit: 0-0 liter (tussen min. en max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11

PRODUKTANBEFALING 2

Coolant SP 12 EVO

Skift alle 250000 km/ 180 maanden

KLIMAANLÆGSKOMPRESSOR

Kapaciteit: 120 cm³

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

KLIMAANLÆGSSYSTEM

Kapaciteit: 590 gram

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.