

MERCEDES-BENZ (EU) E-KLASSE W210 / S210 E 290 TURBODIESEL 210.017/217 (1995-2000)



MOTOR OM602
Kapacitet: 7 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Bi-Turbo 20W-50

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Skift alle 15000 km/ 12 måneder

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Helar 0W-40

PRODUKTANBEFALING 2

Emperol 5W-40

PRODUKTANBEFALING 3

Emperol 5W-50

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Skift alle 15000 km/ 12 måneder

ANVEND
Krævende

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Bi-Turbo 20W-50

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Skift alle 7500 km/ 6 måneder

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1

Helar 0W-40

PRODUKTANBEFALING 2

Emperol 5W-40

PRODUKTANBEFALING 3

Emperol 5W-50

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Skift alle 7500 km/ 6 måneder

DIFFERENTIALE BAG
Kapacitet: 0,7 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Gear 1071

PRODUKTANBEFALING 2

Gearlube GL-5 80W-90

PRODUKTANBEFALING 3

Gearlube LS 80W-90

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Kontroller alle 30000 km

MERCEDES-BENZ (EU) E-KLASSE W210 / S210 E 290 TURBODIESEL 210.017/217 (1995-2000)



GEAR AUTOMATISK 722.6xx 5/1
Kapacitet: 7,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k
Kontroller alle 30000 km

GEAR MANUEL 717.4XX FRA OG MED PRODUKTIONSNR. 7 340 241 5/1
Kapacitet: 1,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Gear 5015

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k
Kontroller alle 30000 km

GEAR MANUEL 717.4XX OP TIL PRODUKTIONSNR. 7 340 240 5/1
Kapacitet: 1,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Matic 4026

PRODUKTANBEFALING 2

SP Matic 2032

PRODUKTANBEFALING 3

ATF-A

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k
Kontroller alle 30000 km

SELVSPÆRRENDE DIFFERENTIALE BAG
Kapacitet: 1,3 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Gear 1071

PRODUKTANBEFALING 2

Gearlube LS 80W-90

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k
Kontroller alle 30000 km

HYDRAULISK NIVELLERINGSSYSTEM
Kapacitet: 2 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

MERCEDES-BENZ (EU) E-KLASSE W210 / S210 E 290 TURBODIESEL 210.017/217 (1995-2000)



HYDRAULISK BREMSE- & KOBLINGSSYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid-S DOT 4		

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Skift alle 24 måneder

SERVOSTYRING

Kapacitet: 1 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Matic 4026	SP Matic 2032	

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Kontroller alle 30000 km

SMØREPUNKTER/NIPLER HJULLEJER FOR

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
HT Q9 High Grade Grease	Labora Grease	

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Kontroller alle 30000 km

KØLESYSTEM

Kapacitet: 9,5 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Coolant SP 11		

Service intervals for vehicles with ASSYST, from 1.3.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Skift alle 36 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.