

MERCEDES-BENZ (EU) E-KLASSE W212 / V212 / S212 E 350 4MATIC BLUEEFFICIENCY 212.088/288 (2011-2013)



MOTOR M276.952
Kapacitet: 6,5 liter

ANVEND		KLIMA
Flexibel (max)		Moderat
PRODUKTANBEFALING 1		
Helar 0W-40		

DIFFERENTIALE BAG 187 FE, Ø 187 mm
Kapacitet: 0,95 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Gear 1071		

DIFFERENTIALE BAG 200 FE, Ø 200 mm
Kapacitet: 1,1 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Gear 1071		

DIFFERENTIALE BAG 215 FE, Ø 215 mm
Kapacitet: 1,2 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Gear 1071		

DIFFERENTIALE FOR
Kapacitet: 0,6 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1071	Gearlube LS 80W-90	

MERCEDES-BENZ (EU) E-KLASSE W212 / V212 / S212 E 350 4MATIC BLUEEFFICIENCY 212.088/288 (2011-2013)



GEAR AUTOMATISK 722.9xx 7/1
Kapacitet: 9,7 liter (Tør efterfyld)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 2094

Skift alle 125000 km/ 60 måneder

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 2094

Skift alle 50000 km/ 36 måneder

HYDRAULISK BREMSESISTEM
Kapacitet: 0,6 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Drauliquid-S DOT 4

Skift alle 24 måneder

SERVOSTYRING
Kapacitet: 0,8 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Fluid 3013

KØLESYSTEM
Kapacitet: 9,6 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Coolant SP 11

PRODUKTANBEFALING 2
Coolant SP 12 EVO

Skift alle 250000 km/ 180 måneder

KLIMAANLÆGSKOMPRESSOR
Kapacitet: 120 cm³

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

**MERCEDES-BENZ (EU) E-KLASSE W212 /
V212 / S212 E 350 4MATIC
BLUEEFFICIENCY 212.088/288 (2011-2013)**



KLIMAANLÆGSSYSTEM

Kapacitet: 590 gram

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.