

MERCEDES-BENZ (EU) GL-KLASSE X166

GL 450 4MATIC 166.872 (2013-2015)



MOTOR M278.928
Kapacitet: 8,5 liter

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Helar 0W-40

Skift alle 25000 km

DIFFERENTIALE BAG 187 FE, Ø 187 mm
Kapacitet: 0,95 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

DIFFERENTIALE BAG 200 FE, Ø 200 mm
Kapacitet: 1,1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

DIFFERENTIALE BAG 215 FE, Ø 215 mm
Kapacitet: 1,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

DIFFERENTIALE FOR
Kapacitet: 0,8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1071

MERCEDES-BENZ (EU) GL-KLASSE X166

GL 450 4MATIC 166.872 (2013-2015)



GEAR AUTOMATISK 722.9xx 7/1
Kapacitet: 9 liter (Tør efterfyld)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 2094

Skift alle 125000 km/ 60 måneder

GEAR AUTOMATISK 725.031 9/1

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 2096

Skift alle 125000 km/ 60 måneder

GEAR AUTOMATISK 725.032 9/1

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 2096

Skift alle 125000 km/ 60 måneder

REDUKTIONSGEARKASSE

Kapacitet: 0,5 liter, Kapacitet: 1,5 liter (+ dobbelt område)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 4026

HYDRAULISK BREMSESYSTEM ABS

Kapacitet: 0,8 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Drauliquid-S DOT 4

Skift alle 24 måneder

MERCEDES-BENZ (EU) GL-KLASSE X166

GL 450 4MATIC 166.872 (2013-2015)



KØLESYSTEM

Kapacitet: 12,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11

PRODUKTANBEFALING 2

Coolant SP 12 EVO

Skift alle 250000 km/ 180 måneder

KLIMAANLÆGSKOMPRESSOR

Kapacitet: 120 cm³, Kapacitet: 160 cm³ (+ kode 582)

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

KLIMAANLÆGSSYSTEM

Kapacitet: 1050 gram, Kapacitet: 1400 gram (+ kode 582)

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.