

MERCEDES-BENZ (EU) S-KLASSE

COUPÉ/CABRIOLET C217 / A217 S 63 AMG

4MATIC COUPÉ / CABRIOLET 217.378/478



MOTOR M157.985
Kapacitet: 8,5 liter

ANVEND	KLIMA
Fleksibel (max)	Moderat

PRODUKTANBEFALING 1		
Helar 0W-40		

Skift alle 20000 km

DIFFERENTIALE BAG 200 FE, Ø 200 mm
Kapacitet: 1,1 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Gear 1071		

DIFFERENTIALE BAG 215 FE, Ø 215 mm
Kapacitet: 1,2 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Gear 1071		

DIFFERENTIALE BAG 240 FE, Ø 240 mm
Kapacitet: 1,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Gear 1071		

DIFFERENTIALE FOR
Kapacitet: 0,55 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Gear 1071		

MERCEDES-BENZ (EU) S-KLASSE

COUPÉ/CABRIOLET C217 / A217 S 63 AMG

4MATIC COUPÉ / CABRIOLET 217.378/478



GEAR AUTOMATISK 722.9xx 7/1
Kapacitet: 9 liter (Tør efterfyld)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Matic 2094		

Skift alle 125000 km/ 60 måneder

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1		
SP Matic 2094		

Skift alle 50000 km/ 36 måneder

GEAR AUTOMATISK 725.0xx 9/1
Kapacitet: 10-11 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Matic 2096		

Skift alle 125000 km

ACTIVE BODY CONTROL SYSTEMET
Kapacitet: 4 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Fluid 3013		

HYDRAULISK BREMSESYSTEM ABS
Kapacitet: 0,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid-S DOT 4		

Skift alle 24 måneder

MERCEDES-BENZ (EU) S-KLASSE COUPÉ/CABRIOLET C217 / A217 S 63 AMG 4MATIC COUPÉ / CABRIOLET 217.378/478



KØLESYSTEM
Kapacitet: 8 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Coolant SP 11

PRODUKTANBEFALING 2

Coolant SP 12 EVO

Skift alle 200000 km/ 120 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.