

MERCEDES-BENZ (EU) SL-KLASSE R231

SL 500 231.473 (2012-2014)



MOTOR M278.927
Kapacitet: 8,5 liter

ANVEND	KLIMA
Fleksibel (max)	Moderat

PRODUKTANBEFALING 1

Helar 0W-40

Skift alle 25000 km

DIFFERENTIALE BAG 200 FE, Ø 200 mm
Kapacitet: 1,1 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1071

DIFFERENTIALE BAG 215 FE, Ø 215 mm
Kapacitet: 1,2 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1071

DIFFERENTIALE BAG BEGRÆNSET SLIP MED KODE 030 215 FE, Ø 215 mm
Kapacitet: 1,2 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 3000 km

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 50000 km/ 36 måneder

MERCEDES-BENZ (EU) SL-KLASSE R231

SL 500 231.473 (2012-2014)



GEAR AUTOMATISK 722.909 7/1
Kapacitet: 9 liter (Tør efterfyld)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 2094

Skift alle 125000 km/ 60 måneder

GEAR AUTOMATISK 725.0xx 9/1

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Matic 2096

Skift alle 125000 km/ 60 måneder

ACTIVE BODY CONTROL SYSTEMET
Kapacitet: 3,5 liter (Tør efterfyld)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Fluid 3013

HYDRAULISK BREMSESYSTEM ABS
Kapacitet: 0,6 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Drauliquid-S DOT 4

Skift alle 24 måneder

KØLESYSTEM
Kapacitet: 12,3 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1 Coolant SP 11	PRODUKTANBEFALING 2 Coolant SP 12 EVO
---	---

Skift alle 200000 km/ 120 måneder

MERCEDES-BENZ (EU) SL-KLASSE R231

SL 500 231.473 (2012-2014)



KLIMAANLÆGSKOMPRESSOR

Kapacitet: 120 cm³

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

KLIMAANLÆGSSYSTEM

Kapacitet: 550 gram

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.