MERCEDES-BENZ (EU) A-CLASS W169 / C169 A 200 TURBO 169.034 / 169.334 (2007-2012)



ENGINE M266.980 Capacity: 5 liter USE CLIMATE Flexible (max) PRODUCT RECOMMENDATION 2 PRODUCT RECOMMENDATION 3 PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2 PRODUCT RECOMMENDATION 3 Helar SP LL-03 0W-30 Helar SP LL-03 5W-30 Presteza MSP 5W-30

| TRANSAXLE AUTOMATIC 722.8x (CVT) 1/1 Capacity: 4 liter, Capacity: 6 liter (+ torque converter), Capacity: 5,7-6,5 liter (Dry fill) | | | | |
|---|--|----------|--|--|
| USE | | CLIMATE | | |
| Normal | | Moderate | | |
| PRODUCT RECOMMENDATION 1 | | | | |
| SP Matic 4016 | | | | |

| TRANSAXLE MANUAL 711.6xx 6/1 Capacity: 1,8 liter | |
|---|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| SP Gear 5015 | |

| HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0,5 liter | | | | |
|--|----------|--|--|--|
| USE | CLIMATE | | | |
| Normal | Moderate | | | |
| PRODUCT RECOMMENDATION 1 | | | | |
| Drauliquid-S DOT 4 | | | | |
| | | | | |

Change every 24 months

| COOLING SYSTEM Capacity: 6,8-7 liter | | |
|---|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Coolant SP 11 | Coolant SP 12 EVO | |

Change every 250000 km/ 180 months

MERCEDES-BENZ (EU) A-CLASS W169 / C169 A 200 TURBO 169.034 / 169.334 (2007-2012)



AIRCONDITIONING COMPRESSOR

Capacity: 130 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 770-840 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.