

# MERCEDES-BENZ (EU) G-CLASS W461 / 463 G 320 CDI 463.340/341 (2007-2009)



**ENGINE** OM642.970  
Capacity: 8,5 liter

| USE                         |                             | CLIMATE                   |
|-----------------------------|-----------------------------|---------------------------|
| Normal                      |                             | Moderate                  |
| PRODUCT RECOMMENDATION 1    | PRODUCT RECOMMENDATION 2    | PRODUCT RECOMMENDATION 3  |
| <b>Helar SP LL-03 0W-30</b> | <b>Helar SP LL-03 5W-30</b> | <b>Presteza MSP 5W-30</b> |

*Change every 20000 km/ 12 months*

**DIFFERENTIAL FRONT**  
Capacity: 1,4 liter

| USE                         |  | CLIMATE  |
|-----------------------------|--|----------|
| Normal                      |  | Moderate |
| PRODUCT RECOMMENDATION 1    |  |          |
| <b>Gearlube GL-5 80W-90</b> |  |          |

*Change every 80000 km/ 48 months*

| USE                         |  | CLIMATE  |
|-----------------------------|--|----------|
| First change only           |  | Moderate |
| PRODUCT RECOMMENDATION 1    |  |          |
| <b>Gearlube GL-5 80W-90</b> |  |          |

*Change every 3000 km*

**DIFFERENTIAL REAR**  
Capacity: 1,8 liter

| USE                         |  | CLIMATE  |
|-----------------------------|--|----------|
| Normal                      |  | Moderate |
| PRODUCT RECOMMENDATION 1    |  |          |
| <b>Gearlube GL-5 80W-90</b> |  |          |

*Change every 80000 km/ 48 months*

| USE                         |  | CLIMATE  |
|-----------------------------|--|----------|
| First change only           |  | Moderate |
| PRODUCT RECOMMENDATION 1    |  |          |
| <b>Gearlube GL-5 80W-90</b> |  |          |

*Change every 3000 km*

# MERCEDES-BENZ (EU) G-CLASS W461 / 463 G 320 CDI 463.340/341 (2007-2009)

**TRANSFERBOX**

Capacity: 2,8 liter

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Gearlube GL-4 80W**

## PRODUCT RECOMMENDATION 2

**Gearlube GL-4 80W-90***Change every 120000 km/ 48 months***TRANSFERBOX 750.654**

Capacity: 2,8 liter

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Syngear HS 75W-90***Change every 120000 km/ 48 months***TRANSMISSION AUTOMATIC 722.9xx 7/1**

Capacity: 9 liter

## USE

First change only

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**SP Matic 4026***Change every 60000 km***HYDRAULIC BRAKE SYSTEM**

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Drauliquid-S DOT 4***Change every 12 months***POWER STEERING**

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**SP Matic 4026**

## PRODUCT RECOMMENDATION 2

**SP Matic 2032**

# MERCEDES-BENZ (EU) G-CLASS W461 / 463 G 320 CDI 463.340/341 (2007-2009)

**COOLING SYSTEM**

Capacity: 7,5 liter

| USE                      |                          | CLIMATE  |
|--------------------------|--------------------------|----------|
| Normal                   |                          | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |          |
| <b>Coolant SP 11</b>     | <b>Coolant SP 12 EVO</b> |          |

*Change every 36 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*