

MERCEDES-BENZ (EU) S-CLASS W222 / V222 / X222 S 500 E PLUG-IN HYBRID 222.163 (2014-2018)



ENGINE M276.824
Capacity: 6,5 liter

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

Helar 0W-40

Change every 25000 km

DIFFERENTIAL REAR 200 FE, Ø 200 mm
Capacity: 1,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071

DIFFERENTIAL REAR 215 FE, Ø 215 mm
Capacity: 1,2 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071

DIFFERENTIAL REAR 240 FE, Ø 240 mm
Capacity: 1,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071

TRANSMISSION AUTOMATIC 724.204 7/1
Capacity: 9 liter (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 2094

Change every 125000 km/ 60 months

MERCEDES-BENZ (EU) S-CLASS W222 / V222 / X222 S 500 E PLUG-IN HYBRID 222.163 (2014-2018)

**ACTIVE BODY CONTROL SYSTEM**

Capacity: 4 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

HYDRAULIC BRAKE SYSTEM ABS

Capacity: 0,6 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid-S DOT 4		

*Change every 24 months***COOLING SYSTEM**

Capacity: 12,3 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		

*Change every 200000 km/ 120 months***AIRCONDITIONING COMPRESSOR**

Capacity: 110 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 660 grams, Capacity: 770 grams (+ code 582)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.