

MERCEDES-BENZ (EU) S-CLASS W222 / V222 / X222 S 63 AMG 4MATIC 222.178 (2013- 2015)



ENGINE M157.985
Capacity: 8,5 liter

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

Helar 0W-40

Change every 20000 km

DIFFERENTIAL FRONT
Capacity: 0,55 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071

DIFFERENTIAL REAR 200 FE, Ø 200 mm
Capacity: 1,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071

DIFFERENTIAL REAR 215 FE, Ø 215 mm
Capacity: 1,2 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071

DIFFERENTIAL REAR 240 FE, Ø 240 mm
Capacity: 1,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071

MERCEDES-BENZ (EU) S-CLASS W222 / V222 / X222 S 63 AMG 4MATIC 222.178 (2013- 2015)



TRANSMISSION AUTOMATIC 722.9xx 7/1 Capacity: 9 liter (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
SP Matic 2094		

Change every 125000 km/ 60 months

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1		
SP Matic 2094		

Change every 50000 km/ 36 months

ACTIVE BODY CONTROL SYSTEM Capacity: 4 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

HYDRAULIC BRAKE SYSTEM ABS Capacity: 0,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Drauliquid-S DOT 4		

Change every 24 months

COOLING SYSTEM Capacity: 8 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 11	Coolant SP 12 EVO	

Change every 250000 km/ 180 months

AIRCONDITIONING COMPRESSOR Capacity: 110 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

MERCEDES-BENZ (EU) S-CLASS W222 / V222 / X222 S 63 AMG 4MATIC 222.178 (2013- 2015)



AIRCONDITIONING SYSTEM

Capacity: 660 grams, Capacity: 770 grams (+ code 582)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.