

MERCURY GRAND MARQUIS GRAND MARQUIS 4.6 V8 (1998-2002)

**ENGINE**

Capacity: 4,7 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Duranza ECO 5W-20****PRODUCT RECOMMENDATION 2****Asyntho 5W-30***Check every 1 months, change every 5000 miles***USE**

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Duranza ECO 5W-20****PRODUCT RECOMMENDATION 2****Asyntho 5W-30***Check every 1 months, change every 3000 miles/ 3 months***DIFFERENTIAL REAR**

Capacity: 1,8 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Gearlube GL-5 80W-90****TRANSMISSION AUTOMATIC 4R70W 4/1**

Capacity: 13,2 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Matic 2032****PRODUCT RECOMMENDATION 2****ATF Almirol****PRODUCT RECOMMENDATION 3****ATF Dexron II-D***Change every 30000 miles***HYDRAULIC BRAKE SYSTEM****USE**

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Drauliquid DOT 3***Check every 15000 miles, change every 24 months*

MERCURY GRAND MARQUIS GRAND MARQUIS 4.6 V8 (1998-2002)



POWER STEERING

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
ATF Almirol	ATF Dexron II-D	ATF-F (Ford)

Check every 6 months

COOLING SYSTEM

Capacity: 15 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 18		

Check every 15000 miles, change every 50000 miles/ 36 months

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 18		

Check every 15000 miles, change every 100000 miles/ 60 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.