

MERCURY GRAND MARQUIS GRAND MARQUIS 4.6 V8 (2003-2005)



MOTOR

Kapacitet: 5,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Kontroller alle 1 måneder, skift alle 5000 mil

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Duranza ECO 5W-20

Kontroller alle 1 måneder, skift alle 3000 mil/ 3 måneder

DIFFERENTIALE BAG

Kapacitet: 2,4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

GEAR AUTOMATISK 4R70/75 E-W 4/1

Kapacitet: 13,2 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

Skift alle 30000 mil

MERCURY GRAND MARQUIS GRAND MARQUIS 4.6 V8 (2003-2005)



SELVSPÆRRENDE DIFFERENTIALE BAG Trac-Lok

Kapacitet: 2,4 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 100000 mil

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 50000 mil

HYDRAULISK BREMSESYSYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 15000 mil, skift alle 24 måneder

SERVOSTYRING

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Kontroller alle 6 måneder

KØLESYSTEM

Kapacitet: 17,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant SP 12	Coolant SP 11	

Kontroller alle 15000 mil, skift alle 50000 mil/ 36 måneder

ANVEND	KLIMA
Første skift kun	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant SP 12	Coolant SP 11	

Kontroller alle 15000 mil, skift alle 100000 mil/ 60 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products.

MERCURY GRAND MARQUIS GRAND MARQUIS 4.6 V8 (2003-2005)



Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.