

MITSUBISHI (EU) LANCER EVOLUTION

LANCER EVOLUTION VII CT9A (2001-2003)



MOTOR 4G63-DOHC

Kapacitet: 5,1 liter, Filterkapacitet: 0,3 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Duranza LSP 5W-30	Asyntho 5W-30	Bi-Turbo 15W-40

Skift alle 7500 km/ 6 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Duranza LSP 5W-30	Asyntho 5W-30	Bi-Turbo 15W-40

Skift alle 5000 km

DIFFERENTIALE BAG

Kapacitet: 0,55 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube GL-5 80W-90		

Kontroller alle 20000 km/ 24 måneder, skift alle 40000 km

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 5015	Gearlube RPC 75W-80	SP Gear 1071

Kontroller alle 20000 km/ 24 måneder, skift alle 40000 km

DIFFERENTIALE FOR

Kapacitet: 0,55 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube GL-5 80W-90		

Kontroller alle 20000 km/ 24 måneder, skift alle 40000 km

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 5015	Gearlube RPC 75W-80	SP Gear 1071

Kontroller alle 20000 km/ 24 måneder, skift alle 40000 km

MITSUBISHI (EU) LANCER EVOLUTION

LANCER EVOLUTION VII CT9A (2001-2003)



MOMENTOVERFØRINGSMEKANISME

Kapacitet: 0,55-0,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Kontroller alle 15000 km/ 12 måneder, skift alle 40000 km

REDUKTIONSGEARKASSE

Kapacitet: 0,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 40000 km

SELVSPÆRRENDE DIFFERENTIALE BAG

Kapacitet: 0,55 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 20000 km/ 24 måneder, skift alle 40000 km

TRANSAKSEL MANUEL W5M51 5/1

Kapacitet: 2,8 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

SP Gear 5015

PRODUKTANBEFALING 3

Syngear TDL 75W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 105000 km/ 84 måneder

HYDRAULISK BREMSE- & KOBLINGSSYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2

Drauliquid-S DOT 4

PRODUKTANBEFALING 3

Drauliquid DOT 3

Kontroller alle 15000 km/ 12 måneder, skift alle 30000 km/ 24 måneder

MITSUBISHI (EU) LANCER EVOLUTION

LANCER EVOLUTION VII CT9A (2001-2003)

**SERVOSTYRING**

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

PRODUKTANBEFALING 3

ATF Dexron II-D*Kontroller alle 15000 km/ 12 måneder***KØLESYSTEM**

Kapacitet: 6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 14+*Kontroller alle 30000 km/ 24 måneder, skift alle 60000 km/ 48 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.