## MITSUBISHI (EU) ASX / RVR GA0 ASX / RVR 1.8 DI-D 2WD (110 KW) (2010-2015)



ENGINE 4N13 Capacity: 5,3 liter, Filter capacity: 0	,3 liter	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Duranza MSP 0W-30	Presteza MSP 0W-30	Helar SP LL-03 0W-30
Change every 15000 km/ 12 month	IS	
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Duranza MSP 0W-30	Presteza MSP 0W-30	Helar SP LL-03 0W-30
		1

Change every 7500 km/ 6 months

TRANSAXLE MANUAL F6MBA 6/1 Capacity: 2,2 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 5015		
Check even (15000 km/ 12 months, change even (155000 km		

Check every 15000 km/ 12 months, change every 195000 km

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 5015		
Check every 15000 km/ 12 months, change every 90000 km		

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)		
use Normal		climate Moderate
PRODUCT RECOMMENDATION 1 Drauliquid-LV Super DOT 4	PRODUCT RECOMMENDATION 2 Drauliquid-S DOT 4	PRODUCT RECOMMENDATION 3 Drauliquid DOT 3

Check every 15000 km/ 12 months, change every 30000 km/ 24 months

## MITSUBISHI (EU) ASX / RVR GA0 ASX / RVR 1.8 DI-D 2WD (110 KW) (2010-2015)



Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Normal		Moderate
USE		CLIMATE
HYDRAULIC CLUTCH SYSTEM Capacity: 0-0 liter (Between min and max.)		

Check every 15000 km/ 12 months, change every 30000 km/ 24 months

COOLING SYSTEM Capacity: 0,63 liter (Reserve tank), Capacity: 7,5 liter (Total)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
Coolant SP 14+			
Check every 30000 km/ 24 months, change every 120000 km/ 72 months			
USE		CLIMATE	

USE		CLIMATE	
First change only		Moderate	
PRODUCT RECOMMENDATION 1			
Coolant SP 14+			
Check avery 20000 km/24 menths, change avery 190000 km/108 menths			

Check every 30000 km/24 months, change every 180000 km/108 months

## AIRCONDITIONING COMPRESSOR Capacity: 70-90 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

## AIRCONDITIONING SYSTEM Capacity: 480-520 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.