

# NISSAN (EU) SUNNY SUNNY 1.6 AWD (69 KW) B12 (1989-1991)

**ENGINE GA16S**

Capacity: 3,2 liter, Filter capacity: 0,4 liter

| USE                      |                                  | CLIMATE                  |
|--------------------------|----------------------------------|--------------------------|
| Normal                   |                                  | Moderate                 |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2         | PRODUCT RECOMMENDATION 3 |
| <b>Emperol 10W-40</b>    | <b>Classic Racing Oil 15W-50</b> | <b>HDX 20W-50</b>        |

*Change every 10000 km/ 6 months*

| USE                      |  | CLIMATE |
|--------------------------|--|---------|
| Normal                   |  | Cold    |
| PRODUCT RECOMMENDATION 1 |  |         |
| <b>Asyntho 5W-30</b>     |  |         |

*Change every 10000 km/ 6 months***DIFFERENTIAL REAR (4x4)**

Capacity: 1 liter

| USE                          |  | CLIMATE       |
|------------------------------|--|---------------|
| Normal                       |  | Mediterranean |
| PRODUCT RECOMMENDATION 1     |  |               |
| <b>Gearlube GL-5 85W-140</b> |  |               |

*Check every 40000 km/ 24 months*

| USE                      |                          | CLIMATE                    |
|--------------------------|--------------------------|----------------------------|
| Normal                   |                          | Moderate                   |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3   |
| <b>SP Gear 1011</b>      | <b>SP Gear 5015</b>      | <b>Gearlube RPC 75W-80</b> |

*Check every 40000 km/ 24 months*

| USE                      |  | CLIMATE |
|--------------------------|--|---------|
| Normal                   |  | Cold    |
| PRODUCT RECOMMENDATION 1 |  |         |
| <b>SP Gear 1081</b>      |  |         |

*Check every 40000 km/ 24 months*

| USE                          |  | CLIMATE       |
|------------------------------|--|---------------|
| Severe                       |  | Mediterranean |
| PRODUCT RECOMMENDATION 1     |  |               |
| <b>Gearlube GL-5 85W-140</b> |  |               |

*Change every 40000 km/ 48 months*

# NISSAN (EU) SUNNY SUNNY 1.6 AWD (69 KW) B12 (1989-1991)



| USE                      |                          | CLIMATE                    |
|--------------------------|--------------------------|----------------------------|
| Severe                   |                          | Moderate                   |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3   |
| <b>SP Gear 1011</b>      | <b>SP Gear 5015</b>      | <b>Gearlube RPC 75W-80</b> |

Change every 40000 km/ 48 months

| USE                      |  | CLIMATE |
|--------------------------|--|---------|
| Severe                   |  | Cold    |
| PRODUCT RECOMMENDATION 1 |  |         |
| <b>SP Gear 1081</b>      |  |         |

Change every 40000 km/ 48 months

## TRANSAXLE MANUAL 5/1

Capacity: 2,8 liter

| USE                      |                          | CLIMATE                   |
|--------------------------|--------------------------|---------------------------|
| Normal                   |                          | Moderate                  |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3  |
| <b>SP Gear 1011</b>      | <b>SP Gear 5015</b>      | <b>Syngear TDL 75W-90</b> |

Check every 20000 km/ 12 months

| USE                      |  | CLIMATE |
|--------------------------|--|---------|
| Normal                   |  | Cold    |
| PRODUCT RECOMMENDATION 1 |  |         |
| <b>SP Gear 1081</b>      |  |         |

Check every 20000 km/ 12 months

## TRANSFERBOX

Capacity: 1,1 liter

| USE                          |  | CLIMATE       |
|------------------------------|--|---------------|
| Normal                       |  | Mediterranean |
| PRODUCT RECOMMENDATION 1     |  |               |
| <b>Gearlube GL-5 85W-140</b> |  |               |

Check every 40000 km/ 24 months

| USE                      |                          | CLIMATE                    |
|--------------------------|--------------------------|----------------------------|
| Normal                   |                          | Moderate                   |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3   |
| <b>SP Gear 1011</b>      | <b>SP Gear 5015</b>      | <b>Gearlube RPC 75W-80</b> |

Check every 40000 km/ 24 months

# NISSAN (EU) SUNNY SUNNY 1.6 AWD (69 KW) B12 (1989-1991)



| USE                                     |                          | CLIMATE                    |
|-----------------------------------------|--------------------------|----------------------------|
| Normal                                  |                          | Cold                       |
| PRODUCT RECOMMENDATION 1                |                          |                            |
| <b>SP Gear 1081</b>                     |                          |                            |
| <i>Check every 40000 km/ 24 months</i>  |                          |                            |
| USE                                     |                          | CLIMATE                    |
| Severe                                  |                          | Mediterranean              |
| PRODUCT RECOMMENDATION 1                |                          |                            |
| <b>Gearlube GL-5 85W-140</b>            |                          |                            |
| <i>Change every 40000 km/ 48 months</i> |                          |                            |
| USE                                     |                          | CLIMATE                    |
| Severe                                  |                          | Moderate                   |
| PRODUCT RECOMMENDATION 1                | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3   |
| <b>SP Gear 1011</b>                     | <b>SP Gear 5015</b>      | <b>Gearlube RPC 75W-80</b> |
| <i>Change every 40000 km/ 48 months</i> |                          |                            |
| USE                                     |                          | CLIMATE                    |
| Severe                                  |                          | Cold                       |
| PRODUCT RECOMMENDATION 1                |                          |                            |
| <b>SP Gear 1081</b>                     |                          |                            |
| <i>Change every 40000 km/ 48 months</i> |                          |                            |

| HYDRAULIC BRAKE SYSTEM                                        |  |          |
|---------------------------------------------------------------|--|----------|
| USE                                                           |  | CLIMATE  |
| Normal                                                        |  | Moderate |
| PRODUCT RECOMMENDATION 1                                      |  |          |
| <b>Drauliquid DOT 3</b>                                       |  |          |
| <i>Check every 20000 km, change every 40000 km/ 24 months</i> |  |          |

| POWER STEERING<br>Capacity: 0,9 liter  |  |          |
|----------------------------------------|--|----------|
| USE                                    |  | CLIMATE  |
| Normal                                 |  | Moderate |
| PRODUCT RECOMMENDATION 1               |  |          |
| <b>SP Matic 2032</b>                   |  |          |
| <i>Check every 20000 km/ 12 months</i> |  |          |



# NISSAN (EU) SUNNY SUNNY 1.6 AWD (69 KW) B12 (1989-1991)



## GREASE POINTS/NIPPLES

| USE                      |                                 | CLIMATE                      |
|--------------------------|---------------------------------|------------------------------|
| Normal                   |                                 | Moderate                     |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2        | PRODUCT RECOMMENDATION 3     |
| <b>Labora Grease</b>     | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

Check every 40000 km/ 24 months

## COOLING SYSTEM

Capacity: 4,8 liter

| USE                           |  | CLIMATE  |
|-------------------------------|--|----------|
| Normal                        |  | Moderate |
| PRODUCT RECOMMENDATION 1      |  |          |
| <b>Coolant -38 Organic NF</b> |  |          |

Change every 40000 km/ 48 months

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*