

NISSAN (EU) TERRANO II TERRANO II 2.7 TD 2WD (1997-2000)



MOTOR TD 27Ti
Kapacitet: 6,2 liter, Filterkapacitet: 0,7 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

PRODUKTANBEFALING 2

Emperol 10W-40

PRODUKTANBEFALING 3

Bi-Turbo 15W-40

Skift alle 7500 km/ 3 måneder

DIFFERENTIALE BAG H233B
Kapacitet: 2,8 liter

ANVEND
Normal

KLIMA
Middelhavssagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

Kontroller alle 12 måneder/ 30000 km

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

SP Gear 5015

PRODUKTANBEFALING 3

Gearlube RPC 75W-80

Kontroller alle 12 måneder/ 30000 km

ANVEND
Normal

KLIMA
Koldt

PRODUKTANBEFALING 1

SP Gear 1081

Kontroller alle 12 måneder/ 30000 km

GEAR AUTOMATISK RE4R01A 4/1
Kapacitet: 8,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

SP Matic 4026

PRODUKTANBEFALING 2

SP Matic 2032

NISSAN (EU) TERRANO II TERRANO II 2.7 TD 2WD (1997-2000)



GEAR MANUEL FS5W71C 5/1
Kapacitet: 3,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Gear 1011

PRODUKTANBEFALING 2
SP Gear 5015

PRODUKTANBEFALING 3
Syngear TDL 75W-90

Kontroller alle 12 måneder/ 30000 km

ANVEND
Normal

KLIMA
Koldt

PRODUKTANBEFALING 1
SP Gear 1081

Kontroller alle 12 måneder/ 30000 km

SELVSPÆRRENDE DIFFERENTIALE BAG H233B
Kapacitet: 2,8 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube LS 80W-90

Kontroller alle 30000 km/ 12 måneder, skift alle 60000 km/ 24 måneder

HYDRAULISK BREMSE- & KOBLINGSSYSTEM

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2
Drauliquid-S DOT 4

Kontroller alle 15000 km/ 6 måneder, skift alle 60000 km/ 24 måneder

SERVOSTYRING
Kapacitet: 1 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
ATF Dexron II-D

Kontroller alle 12 måneder/ 30000 km

NISSAN (EU) TERRANO II TERRANO II 2.7

TD 2WD (1997-2000)



SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

Skift alle 30000 km/ 12 måneder

SMØREPUNKTER/NIPLER HJULLEJER FOR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

Skift alle 60000 km/ 24 måneder

KØLESYSTEM

Kapacitet: 10 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

Kontroller alle 15000 km/ 6 måneder, skift alle 90000 km/ 36 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.