

OPEL MONTEREY B M98 MONTEREY 3.0 TD (1998-2000)



MOTOR 4JX1
Kapacitet: 6 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Helar 0W-40

PRODUKTANBEFALING 2

Emperol 5W-40

PRODUKTANBEFALING 3

Emperol Racing 10W-60

Skift alle 7500 km/ 12 måneder

DIFFERENTIALE BAG
Kapacitet: 1,8 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

DIFFERENTIALE FOR (4x4)
Kapacitet: 1,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

GEAR MANUEL MUA5CT 5/1
Kapacitet: 2,95 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

REDUKTIONSGEARKASSE
Kapacitet: 1,45 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Asyntho 5W-30

Kontroller alle 15000 km/ 12 måneder, skift alle 45000 km/ 36 måneder

OPEL MONTEREY B M98 MONTEREY 3.0 TD (1998-2000)



SELVSPÆRRENDE DIFFERENTIALE BAG

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gearlube GL-5 80W-90		
<i>Kontroller alle 24 måneder/ 30000 km</i>		

HYDRAULISK BREMSESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	
<i>Skift alle 24 måneder</i>		

HYDRAULISK KOBLINGSSYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	
<i>Kontroller alle 15000 km/ 12 måneder</i>		

SERVOSTYRING

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
ATF Dexron II-D		
<i>Kontroller alle 24 måneder/ 30000 km</i>		

SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2
<i>Skift alle 12 måneder</i>		

OPEL MONTEREY B M98 MONTEREY 3.0 TD (1998-2000)



KØLESYSTEM

Kapacitet: 8,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.